

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[9009010000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



General ordering data

| | |
|------------------|--|
| Order No. | 9009010000 |
| Part designation | SD 1.2x6.5x150 |
| Version | Screwdriver, Slotted, Blade width (B): 6.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.2 mm |
| EAN | 4032248266869 |
| Qty. | 1 pc(s). |

Technical data

| | |
|--------|--------|
| Length | 308 mm |
| Weight | 110 g |

Product data

| | |
|---------------------|---------|
| Blade thickness (A) | 1.2 mm |
| Blade width (B) | 6.5 mm |
| Blade length (C) | 150 mm |
| Blade type | Slotted |

Approvals

| | |
|----------------------|------|
| Approvals institutes | n.a. |
|----------------------|------|

Classifications

| | |
|------------|-------------|
| ETIM 2.0 | EC000158 |
| ETIM 3.0 | EC000158 |
| eClass 4.1 | 21-04-04-01 |
| eClass 5.0 | 21-04-04-01 |
| eClass 5.1 | 21-04-04-01 |

Similar products

| Order No. | Part designation | Version |
|-----------|------------------|---------|
|-----------|------------------|---------|

| | | |
|------------|-----------------|--|
| 9008470000 | SDK PH0 | Screwdriver, Philips-recess crosshead, Blade length (C): 60 mm, Size: 0 |
| 9008480000 | SDK PH1 | Screwdriver, Philips-recess crosshead, Blade length (C): 80 mm, Size: 1 |
| 9009030000 | SD 0.4x2.5x75 | Screwdriver, Slotted, Blade width (B): 2.5 mm, Blade length (C): 75 mm, Blade thickness (A): 0.4 mm |
| 9008370000 | SDI 0,4x2,5x75 | Screwdriver, Slotted, Blade width (B): 2.5 mm, Blade length (C): 75 mm, Blade thickness (A): 0.4 mm |
| 9008490000 | SDK PH2 | Screwdriver, Philips-recess crosshead, Blade length (C): 100 mm, Size: 2 |
| 9008320000 | SD 0.5x3.0x80 | Screwdriver, Slotted, Blade width (B): 3.0 mm, Blade length (C): 80 mm, Blade thickness (A): 0.5 mm |
| 9008380000 | SDI 0,5x3,0x100 | Screwdriver, Slotted, Blade width (B): 3.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.5 mm |
| 9008390000 | SDI 0,6x3,5x100 | Screwdriver, Slotted, Blade width (B): 3.5 mm, Blade length (C): 100 mm, Blade thickness (A): 0.6 mm |
| 9008500000 | SDK PH3 | Screwdriver, Philips-recess crosshead, Blade length (C): 150 mm, Size: 3 |
| 9008330000 | SD 0.6x3.5x100 | Screwdriver, Slotted, Blade width (B): 3.5 mm, Blade length (C): 100 mm, Blade thickness (A): 0.6 mm |
| 9008400000 | SDI 0,8x4,0x100 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.8 mm |
| 9008910000 | SDI 1,0x4,5x125 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 125 mm, Blade thickness (A): 1.0 mm |
| 9008340000 | SD 0.8x4.0x100 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.8 mm |
| 9009020000 | SD 0.8x4.5x125 | Screwdriver, Slotted, Blade width (B): 4.5 mm, Blade length (C): 125 mm, Blade thickness (A): 0.8 mm |
| 9008410000 | SDI 1,0x5,5x125 | Screwdriver, Slotted, Blade width (B): 5.5 mm, Blade length (C): 125 mm, Blade thickness (A): 1.0 mm |
| 9008350000 | SD 1.0x5.5x150 | Screwdriver, Slotted, Blade width (B): 5.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.0 mm |
| 9008420000 | SDI 1,2x6,5x150 | Screwdriver, Slotted, Blade width (B): 6.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.2 mm |
| 9008430000 | SDI 1,6x8,0x175 | Screwdriver, Slotted, Blade width (B): 8.0 mm, Blade length (C): 175 mm, Blade thickness (A): 1.6 mm |