

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[9021210000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


General ordering data

Order No.	9021210000
Part designation	H0,25/10T GE SV
Version	Wire-end ferrule, 0.25 mm ² , 6 mm, Colour code: Miscellaneous, yellow
EAN	4008190045555
Qty.	500 pc(s).

Technical data

Length	10 mm
Width	2.25 mm
Height	2.25 mm

Product data

Conductor rated cross-section	0.25 mm ²
AWG	24
Total length (L1)	10 mm
Contact surface length (L2)	6 mm
Contact surface diameter (D1)	0.8 mm
Collar diameter (D2)	1.8 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

Approvals

Approvals institutes


Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

Classifications

eClass 5.1 27-40-02-01

Similar products

Order No.	Part designation	Version
9026050000	H0,25/10 HBL SV	Wire-end ferrule, 0.25 mm ² , 6 mm, Colour code: Weidmüller, light blue
9025780000	H0,25/12 HBL SV	Wire-end ferrule, 0.25 mm ² , 8 mm, Colour code: Weidmüller, light blue
9021220000	H0,25/12T GE SV	Wire-end ferrule, 0.25 mm ² , 8 mm, Colour code: Miscellaneous, yellow