

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[9021230000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


General ordering data

Order No.	9021230000
Part designation	H0,75/14T HBL SV
Version	Wire-end ferrule, 0.75 mm ² , 8 mm, Colour code: Miscellaneous, light blue
EAN	4008190153106
Qty.	500 pc(s).

Technical data

Length	14 mm
Width	3.3 mm
Height	3.3 mm

Product data

Conductor rated cross-section	0.75 mm ²
AWG	18
Total length (L1)	14 mm
Contact surface length (L2)	8 mm
Contact surface diameter (D1)	1.2 mm
Collar diameter (D2)	2.8 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

Approvals

Approvals institutes


Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

Classifications

eClass 5.1 27-40-02-01

Similar products

Order No.	Part designation	Version
9028280000	H0,75/12 W SV	Wire-end ferrule, 0.75 mm ² , 6 mm, Colour code: Weidmüller, white
9026070000	H0,75/14 W SV	Wire-end ferrule, 0.75 mm ² , 8 mm, Colour code: Weidmüller, white
9019410000	H0,75/14D GR SV	Wire-end ferrule, 0.75 mm ² , 8 mm, Colour code: DIN, grey
9028290000	H0,75/16 W SV	Wire-end ferrule, 0.75 mm ² , 10 mm, Colour code: Weidmüller, white
9028300000	H0,75/18 W SV	Wire-end ferrule, 0.75 mm ² , 12 mm, Colour code: Weidmüller, white