

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[9019160000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Product catalogue | Tools | Wire end ferrules | Wire end ferrules with plastic collar | Conductor nom. cross-section 2.5mm² | packed loose in polythene bag



General ordering data

| | |
|------------------|--|
| Order No. | 9019160000 |
| Part designation | H2,5/14D BL |
| Version | Wire-end ferrule, 2.5 mm ² , 8 mm, Colour code: DIN, Blue |
| EAN | 4008190028732 |
| Qty. | 500 pc(s). |

Technical data

| | |
|--------|--------|
| Length | 14 mm |
| Width | 4.7 mm |
| Height | 4.7 mm |

Product data

| | |
|-------------------------------|---------------------|
| Conductor rated cross-section | 2.5 mm ² |
| AWG | 14 |
| Total length (L1) | 14 mm |
| Contact surface length (L2) | 8 mm |
| Contact surface diameter (D1) | 2.2 mm |
| Collar diameter (D2) | 4.2 mm |
| Metal sleeve thickness (S1) | 0.15 mm |
| Plastic collar thickness (S2) | 0.25 mm |

Approvals

Approvals institutes



Classifications

| | |
|------------|-------------|
| ETIM 2.0 | EC000005 |
| ETIM 3.0 | EC000005 |
| eClass 4.1 | 27-06-07-01 |
| eClass 5.0 | 27-40-02-01 |

Product catalogue | Tools | Wire end ferrules | Wire end ferrules with plastic collar | Conductor nom. cross-section 2.5mm²
| packed loose in polythene bag

Classifications

eClass 5.1

27-40-02-01

Similar products

| Order No. | Part designation | Version |
|------------|------------------|---|
| 9021070000 | H2,5/14T GR | Wire-end ferrule, 2.5 mm ² , 8 mm, Colour code: Miscellaneous, grey |
| 9019170000 | H2,5/18D BL | Wire-end ferrule, 2.5 mm ² , 12 mm, Colour code: DIN, Blue |
| 9021080000 | H2,5/18T GR | Wire-end ferrule, 2.5 mm ² , 12 mm, Colour code: Miscellaneous, grey |
| 9019180000 | H2,5/24D BL | Wire-end ferrule, 2.5 mm ² , 18 mm, Colour code: DIN, Blue |
| 9021090000 | H2,5/24T GR | Wire-end ferrule, 2.5 mm ² , 18 mm, Colour code: Miscellaneous, grey |