

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[0342000000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


General ordering data

Order No.	0342000000
Part designation	KLIPPON K1
Version	Housings, 45 mm, 70 mm, 70 mm, Aluminium alloy (AlSi12)
EAN	4008190055448
Qty.	10 pc(s).

Dimensions

Fixing dimension, width	58 mm
Height	45 mm
Length	70 mm
Width	70 mm

General details

Cover fixing	4 stainless steel M4 screws
Enclosure fixing	Holes 4 mm
Integral fixing	Threaded holes M3
Resistance to shocks	10 J
Sealing material	Neoprene
Version cover	closed
Surface finish	untreated
Class of protection to EN 60529	IP 66 and IP 67
Weight	220 g
Ambient temperature, min.	-30 °C
Ambient temperature, max.	80 °C

Screwed cable glands top/bottom

M 12	2
M 16	2
M 20	1
Side of enclosure	Top / Bottom

Screwed cable glands, left/right

M12	1
-----	---

Screwed cable glands, left/right

M16	1
On housing side	left / right

Approvals

Approvals institutes



Classifications

ETIM 2.0	EC000058
ETIM 3.0	EC000058
eClass 4.1	27-14-12-06
eClass 5.0	27-14-91-07
eClass 5.1	27-14-91-07

Similar products

Order No.	Part designation	Version
9529120000	KLIPPON K1 RAL7001	Housings, 45 mm, 70 mm, 70 mm, Aluminium alloy (AlSi12)