

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[1630010000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



#### General ordering data

|                  |                                                                  |
|------------------|------------------------------------------------------------------|
| Order No.        | 1630010000                                                       |
| Part designation | KSW 4 <150MM NEUTRAL                                             |
| Version          | Connector markers, L x W: 150 x 4 mm, Polyester, PVC-free, white |
| EAN              | 4008190457341                                                    |
| Qty.             | 10 pc(s).                                                        |

#### Markings

|                                                |                                 |
|------------------------------------------------|---------------------------------|
| Adhesive                                       | Acrylate                        |
| Can be labelled with thermal transfer printers | No                              |
| Can be printed with plotter                    | No                              |
| Can be written with laser printer              | No                              |
| Function                                       | Device and installation markers |
| Length                                         | 150 mm                          |
| Material                                       | Polyester, PVC-free             |
| Material colour                                | white                           |
| Material colour according to resistance code   | 9                               |
| Max. temperature, continuous                   | 150 °C                          |
| Min. temperature, continuous                   | -40 °C                          |
| No. per sheet                                  | 20 pcs                          |
| Pin can be written (STI)                       | Yes                             |
| Pitch                                          | 150 mm                          |
| PrintJet                                       | No                              |
| Printed characters                             | without                         |
| Speed marking laser                            | No                              |
| Type of printing                               | Neutral                         |
| Width                                          | 4 mm                            |

#### Approvals

|                      |      |
|----------------------|------|
| Approvals institutes | n.a. |
|----------------------|------|

#### Classifications

|          |          |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |

#### Classifications

|            |             |
|------------|-------------|
| eClass 4.1 | 24-19-02-19 |
| eClass 5.0 | 27-14-11-37 |
| eClass 5.1 | 27-14-11-37 |

#### Similar products

| Order No.  | Part designation       | Version                                                            |
|------------|------------------------|--------------------------------------------------------------------|
| 1629960000 | KSW 2,5 <50MM NEUTRAL  | Connector markers, L x W: 50 x 2.5 mm, Polyester, PVC-free, white  |
| 1629980000 | KSW 2,5 <100MM NEUTRAL | Connector markers, L x W: 100 x 2.5 mm, Polyester, PVC-free, white |
| 1630000000 | KSW 2,5 <150MM NEUTRAL | Connector markers, L x W: 150 x 2.5 mm, Polyester, PVC-free, white |
| 1629970000 | KSW 4 <50MM NEUTRAL    | Connector markers, L x W: 50 x 4 mm, Polyester, PVC-free, white    |
| 1629990000 | KSW 4 <100MM NEUTRAL   | Connector markers, L x W: 100 x 4 mm, Polyester, PVC-free, white   |