

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[0368200000](#)

For any questions, you can email us directly:
sales@integrated-circuit.com


General ordering data

| | |
|------------------|----------------------------------------------------------------------------------------------|
| Order No. | 0368200000 |
| Part designation | Q 2 AKZ1.5 |
| Version | Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 2 |
| EAN | 4008190149987 |
| Qty. | 50 pc(s). |

Product notes

| | |
|----------------------|-----------------------------------------------------------|
| Note, technical data | 24A with max. conductor connection of 2.5 mm ² |
| Function | Cross-connection for AKZ 1.5 and AKZ 2.5 |

Additional technical data

| | |
|---------------------------------|----|
| Explosion-tested version "Ex e" | No |
|---------------------------------|----|

Rating data

| | |
|---------------|------|
| Rated voltage | 0 V |
| Rated current | 24 A |

Approvals

| | |
|----------------------|------|
| Approvals institutes | п.ä. |
|----------------------|------|

Downloads

| | |
|------|-------------------------------------|
| DXF | 04444_Q_2_AKZ1.5_DXF.dxf |
| STEP | 0368200000_04444_Q_2_AKZ1.5_STP.stp |

Classifications

| | |
|------------|-------------|
| ETIM 2.0 | EC000489 |
| ETIM 3.0 | EC000489 |
| eClass 4.1 | 27-14-11-99 |
| eClass 5.0 | 27-14-11-40 |
| eClass 5.1 | 27-14-11-40 |

Similar products

| Order No. | Part designation | Version |
|------------|------------------|-----------------------------------------------------------------------------------------------|
| 0368500000 | Q 10 AKZ1.5 | Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 10 |
| 0368300000 | Q 3 AKZ1.5 | Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 3 |
| 0368400000 | Q 4 AKZ1.5 | Cross-connector / link for modular terminal, Pre-assembled cross-connection, No. of poles: 4 |