

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[1627850000](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

General ordering data

| | |
|------------------|--|
| Order No. | 1627850000 |
| Part designation | ZQV 6/2 GE |
| Version | Cross-connector / link for modular terminal, Cross-connection, No. of poles: 2 |
| EAN | 4008190200428 |
| Qty. | 60 pc(s). |

Additional technical data

| | |
|---------------------------------|-----------------|
| Explosion-tested version "Ex e" | No |
| Installation advice | Direct mounting |

Cross-connector

| | |
|----------------------------------|------------------|
| Height | 33.95 mm |
| No. of cross-connected terminals | 2 |
| Pitch | 8.1 mm |
| Rated current, 2-pole | 41 A |
| Rated current, multi-pole | 41 A |
| Rated voltage | 0 V |
| Type | Cross-connector |
| Type of fixing | Plugged |
| Function | Cross-connection |
| No. of poles | 2 |

Dimensions

| | |
|-------|--------|
| Width | 3.1 mm |
|-------|--------|

Rating data

| | |
|---------------|------|
| Rated voltage | 0 V |
| Rated current | 41 A |

Approvals

Approvals institutes


Downloads

| | |
|------|-------------------------------------|
| STEP | 1627850000_21512_ZQV_6-2_GE_STP.stp |
|------|-------------------------------------|

Classifications

| | |
|------------|-------------|
| eClass 4.1 | 27-14-11-99 |
| eClass 5.0 | 27-14-11-40 |
| eClass 5.1 | 27-14-11-40 |

Similar products

| Order No. | Part designation | Version |
|-----------|------------------|---------|
|-----------|------------------|---------|

| | | |
|------------|-------------|---|
| 1627860000 | ZQV 6/3 GE | Cross-connector / link for modular terminal, Cross-connection, No. of poles: 3 |
| 1733640000 | ZQV 6/32 GE | Cross-connector / link for modular terminal, Cross-connection, No. of poles: 32 |
| 1627870000 | ZQV 6/4 GE | Cross-connector / link for modular terminal, Cross-connection, No. of poles: 4 |