

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[1609050000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)


**General ordering data**

Order No.	1609050000
Part designation	ZTA 1/ZA
Version	Modular terminal, accessories, Test adapter
EAN	4008190206543
Qty.	25 pc(s).

**Product notes**

Product description	The clip-on test adapter ZTA is used as a single thin element and as a test adapter strip for measurements in electrical cabinets. Conductors with cross-sections from 0.5 mm <sup>2</sup> to 1.5 mm <sup>2</sup> can be connected. The test adapter simply clips onto the terminal and thus guarantees reliable contact with the live busbar.
---------------------	--

**Additional technical data**

Installation advice	Direct mounting
---------------------	-----------------

**Conductors for clamping (rated connection)**

Clamping range, min.	0.5 mm <sup>2</sup>
Clamping range, max.	1.5 mm <sup>2</sup>
Type of connection	Plug-in connection
Stripping length	6 mm
Solid, min.	0.5 mm
Solid, max.	1.5 mm
Flexible, min.	0.5 mm
Flexible, max.	1.5 mm
Flexible with ferrule, min. (DIN 46228/1)	0.5 mm
Flexible with ferrule, max. (DIN 46228/1)	1.5 mm

**Dimensions**

Width	5.1 mm
Height of lowest version	73.1 mm
Length	31.5 mm

### Dimensions

#### Rating data

Rated cross-section	1.5 mm <sup>2</sup>
Rated current	9 A

#### Test adapter

Function	Test adapter
With snap-in pegs	Yes

#### Test adapter dimensions

Height with TS 35	99.1 mm
With snap-in pegs	Yes

#### Test adapter rated data

Rated voltage	250 V
---------------	-------

### Approvals

Approvals institutes



### Downloads

STEP	1609050000_22247_ZTA_1_ZA_STP.stp
------	-----------------------------------

### Classifications

eClass 4.1	NK
eClass 5.0	NK
eClass 5.1	NK

### Similar products

Order No.	Part designation	Version
1609040000	ZTA 1	Modular terminal, accessories, Test adapter