



**Distributor of EDAC Inc.: Excellent Integrated System Limited**

Datasheet of 634-W15-262-012 - D-Sub Connector Receptacle, Female Sockets 15 Position  
Through Hole, Right Angle Solder

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[EDAC Inc.](#)

[634-W15-262-012](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

THIS IS A C.A.D. GENERATED DRAWING  
DO NOT MAKE MANUAL REVISIONS TO MASTER

Dimensions:  
 Total width: 39.50±0.25  
 Contact area width: 25.00±0.25  
 Contact pitch: 15.54±0.25  
 Shell height: 21.10±0.25  
 Contact height: 7.14±0.25  
 Mounting hole offset: 1.98  
 Standoff width: 2.29  
 Standoff height: 2.88  
 Cable diameter: 2.54±0.30  
 Cable offset: 5.80  
 Cable length: 9.65

ISSUE NUMBER
ORIGINAL

**Materials and Finish**

- Insulator: PBT with Glass Fiber, UL94V-0, Black
- Shell: Steel, Nickel Plated
- Contact: Copper Alloy, with 2-Gold Flash Plating over Nickel
- Watertight Frame: PBT with Glass Fiber, UL94V-0, Black
- O-Ring: Silicone
- Epoxy Sealant: Epoxy
- DEGREE OF PROTECTION: IP67 AS PER IEC60529

**Mounting Option**  
2- #4-40 UNC THREADED HOLE

**Contact Information**  
62- RIGHT ANGLE TAIL FOR HIGH DENSITY TYPE D-SUB

**Electrical Characteristics**

- Current Rating: 3 Amperes
- Dielectric Withstanding Voltage: 1000 V, for 1 Minute
- Insulation Resistance: 5000 Megohm Min.
- Contact Resistance: 10 Milliohms Max.
- Working Temperature: -55C to +105C

EDAC INC  
TORONTO, ONTARIO  
CANADA  
YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD. REFERENCE NO. 634-638W Assembly

DRAWN: R.STA.MONICA	DATE: June, 4/13
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 1
DRAWING NUMBER 634-638W Assembly	ISSUE 1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2002/95/EC AND 2002/96/EC FOR RoHS COMPLIANCY.