

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Virtium Technology Inc. VSFB18CC240G-100

For any questions, you can email us directly: sales@integrated-circuit.com





Product Brief

StorFly® 18 1.8" SATA 6G SSD CE, XE and PE Classes



Industrial Embedded Technology for our Interconnected World

StorFly 18 – Ideal for industrial automation, networking, server, blade and medical applications



Designed, programmed, built and supported in the U.S. - fortified by locations worldwide.

Overview

StorFly® 18 SATA CE, XE and PE SSDs deliver an optimal solid-state storage solution for embedded and industrial systems that may require a high-reliability replacement to hard-to-find 1.8" HDDs. StorFly 18 SSDs are also smaller, thinner, "eject-able" alternatives to 2.5".

SATA SSDs that provide the benefit of enhanced serviceability without the need for a hot-swap carrier. At a 5mm thickness, StorFly 18 SSDs are ideal for 1U server and blade applications where airflow and cooling are high priorities.

Applications

StorFly 18 SSDs are ideal for industrial automation, networking, server, blade and medical applications that require high performance in a form factor only 5mm high. They are ideal as replacements for hard-to-find 1.8" HDDs and can be used in lieu of 2.5" for easy hot swapping and service.

StorFly 18 SSDs are also used in many military and ruggedized portable computers.

Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessable
- Global static and dynamic wear leveling

Distributor of Virtium Technology Inc.: Excellent Integrated System Limited Datasheet of VSFB18CC240G-100 - SSD 1.8" SATA 240GB PE MLC COM

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Specifications

Interface SATA 6G (SATA III), 3G and 1.5G

Voltage / Power 5v / 1.7W

UBER <1 sector error in 10¹⁵ bits read

MTBF > 2M hours

Environmental MIL-STD-810F

Compliance ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE

Dimensions (mm) $54.00 \times 78.25 \times 5.0$

	CE	XE	PE
	Good	Better	Best
Media	MLC	iMLC	SLC
Capacity	30GB-480GB	30GB-480GB	8GB-256GB
*Endurance	1X Baseline	7X Baseline	30X Baseline
Operating Temperature	0° to 70°C	-40° to 85°C	-40° to 85°C
Warranty	3 Years	5 Years	5 Years

^{*} Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSF18x(C/I)yyyG-zzz

where:

VSF Virtium StorFly

B18x Form factor and product class

(C/I) Commercial / Industrial operating temp yyyG Capacity (1GB = 1,000,000,000 bytes)

zzz Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.

