

Excellent Integrated System Limited








Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10128794-001RLF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



MATING ANGLE ILLUSTRATION

- NOTES:
- 1.MATERIAL:
 - 1.1 HOUSING:HIGH TEMPERATURE THERMOPLASTIC,UL94V-0,COLOR:BLACK.
 - 1.2. CONTACT:COPPER ALLOY.
 - 1.3. SOLDER PEG:STAINLESS STEEL.
 - 2.1 FINISH:
 - 2.1 CONTACT:
 - UNDERPLATING NICKEL 50u" MIN OVERALL
 - MATING AREA:GOLD PLATING,THICKNESS SEE TABLE
 - SOLDER AREA:GOLD FLASH 1u" MIN.
 - 2.2 SOLDER PEG:
 - UNDERPLATING NICKEL 50u" MIN OVERALL
 - 80u"MIN MATTE TIN ON SURFACE
 - 3.DATE CODE : YYWWDLX
 - YY: YEAR (09: 2009)
 - WW: WEEK (25: THE 25TH WEEK)
 - D: DAY (~7: SUNDAY~SATURDAY)
 - L: LINE NUMBER OF ASSEMBLY (A: LINE A)
 - X: D OR N (D: DAY; N: NIGHT)
 - 4.PRODUCT SPECIFICATION SEE: FCI GS-12-1195
 - 5.PART NUMBER DESCRIPTION:
10128794-00XRLE

LF:LEAD FREE & RoHS COMPLIANCE

PACKAGE CODE:

R: TAPE & REEL PACKING

PLATING CODE:

1: GOLD FLASH ON CONTACT AREA

4: 15u"Min GOLD ON CONTACT AREA


5: 30u"Min GOLD ON CONTACT AREA

30u" Au	10128794-005RLF
15u" Au	10128794-004RLF
GOLD FLASH	10128794-001RLF
CONTACT AREA	FCI P/N



mat'l. code				surface ☒ tolerance		projection		CONTACT AREA		FCI P/N	
product family											
tolerances unless otherwise specified				angles $\frac{b}{a}$		.X ± 0.3 .XX ± 0.25 .XXX ± 0.05		title M.2 CONNECTOR 4.2H_STD_KEY E			
Itr ecn no dr date A BF 2014-04-18 B ELX-T-19318 TAI 2014-11-10 C ELX-T-20858 TAI 2015-05-11				engr BEER FU 2013-05-02 chr BEER FU 2013-05-02 appd BEER FU 2013-05-02		scale 		dwg no sheet 1 of 3 size 10128794 A4			
sheet revision C C index sheet 1 2 3				type Customer Drawing							



PLUG PCB





BOTTOM SIDE



TOP SIDE

RECOMMENDED PCB LAYOUT

[illegible]

form: A4mmXLc

1

2




PDS: Rev :C.3

STATUS:Released

Printed: Aug 04, 2015



FEEDING DIRECTION



1100	5	5500	10.33Kg	5.53Kg
PCS/ TAPE	REELS/ BOX	PCS/BOX	GROSS WEIGHT	NET WEIGHT

[illegible][illegible]

form: A4mmXLc

1

2

PDS: Rev :C.3

STATUS:Released

Printed: Aug 04, 2015