

## Excellent Integrated System Limited







Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)  
[10046972-002LF](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)


PRODUCT NO  
10046972-001LF



SECTION B-B

NOTE:

1. Material:  
HOUSING: HIGH TEMPERATURE THERMOPLASTIC, UL 94 V-0 FLAME RETARDANT.  
TERMINAL: HIGH CONDUCTIVITY COPPER ALLOY.  
PLATING SPEC AS BELOW:  
Ni 50µ" UNDER PLATED.  
Au 30µ" OVER CONTACT AREA (ONE SIDE)  
Mo/te Tin 120µ" OVER SOLDERING AREA.
2. PACKING SPEC. GS-14-937.
3. PRODUCT SPEC. GS-12-338.
4. PART NUMBER 10046972-001LF MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS AFCE SPECIFICATION: GS-24-007.
6. A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.









spec ref	*	dr	wcadmin	2006/08/26	projection	MM	size	A4	scale	1.000	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sunny2 Liu	2016/05/05		← →	ec n no	ELX-DG-22934-1			
		chr	Terris Liu	2016/05/20				rel level	Released		
surface	linear	appr	Pei-Ming Zheng	2016/05/24	product family	PEC VT WITH MOUNTING EARS	dwg no	10046972		rev	G
	0.X ±0.5										
	0.XX ±0.25										
	0.XXX ±0.13										
	angular 0° ±°										
		Amphenol FCI	title	2X8P		cat. no.	*	Product - Customer Drw		sheet 1 of 4	

Draw File: REV C - 2016-02-12



PRODUCT NO  
10046972-002LF






SECTION B-B

- NOTE:
- Material:  
HOUSING: HIGH TEMPERATURE THERMOPLASTIC,  
UL 94 V-0 FLAME RETARDANT.  
TERMINAL: HIGH CONDUCTIVITY COPPER ALLOY.  
PLATING SPEC AS BELOW:  
Ni 50u" UNDER PLATED.  
Au 30u" OVER CONTACT AREA, (ONE SIDE)  
Mo/Sn Tin 120u" OVER SOLDERING AREA.
  - PACKING SPEC. GS-14-937.
  - PRODUCT SPEC. GS-12-338.
  - PART NUMBER 10046972-001LF MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.  
THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.  
PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS AFCl SPECIFICATION: GS-24-007.  
6. A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref	*	dr	wcadmin	2006/08/26	projection	MM	size	A4	scale	1.000	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sunny2 Liu	2016/05/05		← →	ec n no	ELX-DG-22934-1			
		chr	Terris Liu	2016/05/20				rel level	Released		
surface	linear 0.X ±0.5 0.XX ±0.25 0.XXX ±0.13 angular 0° ±°	appr	Pei-Ming Zheng	2016/05/24	product family	PEC VT WITH MOUNTING EARS	dwg no	10046972		rev	G
		cat. no.	*	Product - Customer Drw	sheet 3 of 4						

Creo File - REV C - 2016-02-12

PRODUCT NO  
10046972-002LF



spec ref	*	dr	wcadmin	2006/08/26	projection	MM	size	A4	scale	1.000										
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sunny2 Liu	2016/05/05			ec n no	ELX-DG-22934-1												
		chr	Terris Liu	2016/05/20				rel level	Released											
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.13</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.13	angular	0°	±°	appr	Pei-Ming Zheng	2016/05/24	product family	PEC VT WITH MOUNTING EARS		
linear	0.X	±0.5																		
	0.XX	±0.25																		
	0.XXX	±0.13																		
angular	0°	±°																		
		title	2X8P			dwg no	10046972													
		cat. no.	*	Product - Customer Drw			sheet	4 of 4												

Creo File - REV C - 2016-02-12

Amphenol  
FCI

© 2016 APCI

PDS: Rev :G

STATUS:Released

Printed: May 24, 2016