

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[51952-135LF](#)

For any questions, you can email us directly:



sales@integrated-circuit.com

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de E FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER		SIGNAL	
		E1	P1 P2	1 2	E2
51952-135-- NOTE ③	D C B A		PA PA		



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[N/A]	POWER
E	[6.86]	SIGNAL
HA	[N/A]	HOLD-DOWN
H	[5.59]	SIGNAL

mat'l code				tolerances unless otherwise specified		CUSTOMER	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com
A	DG08-0209	JW	07/01/08	linear	0.XX ±0.13	projection	
				angles	0.XXX ±0.051		
				dr	0° ±2°		
				engr	JULIA WANG 07/01/08		
				chr	JEROME CHEN 07/01/08		
				appd	GARY HSIEH 07/01/08		
					JOSEPH HSIA 07/01/08		
sheet index	revision sheet	A 1	A 2	A 3	A 4	scale	1:1




CUSTOMER		FCI	
title	2ACP + 8S VERTICAL SOLDER HEADER	product family	PwrBlade
size	dwg no A 51952-135	code	213 sheet 1 of 4
cage code	22526		

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51952-135LF
NOTE 3



material code				tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
A				linear	0.XX ±0.13	projection		2ACP + 8S	
				angles	0.XXX ±0.051			VERTICAL SOLDER HEADER	
				dr	0° ±2°			product family PwrBlade	
				enr	JULIA WANG 07/01/08			size	
				chr	JEROME CHEN 07/01/08			dwg no	
				appd	GARY HSIEH 07/01/08			51952-135	
					JOSEPH HSIA 07/01/08			213	
sheet index	revision	sheet				scale	1:1	2 of 4	


Pro/E

cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



mat'l code				tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	$0.X \pm 0.3$ $0.XX \pm 0.13$ $0.XXX \pm 0.051$ $0^\circ \pm 2^\circ$				COPY			
A				linear angles dr eng chr appd				projection  MM scale 1:1			
				JULIA WANG 07/01/08 JEROME CHEN 07/01/08 GARY KSEIH 07/01/08 JOSEPH HSIA 07/01/08				title 2ACP + 8S VERTICAL SOLDER HEADER		product family PwrBlade code 213	
sheet index	revision sheet							size	dwg no	A 51952-135 sheet 3 of	
Pro/E				3				cage code		22526	
										4	

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51952-135-
NOTE 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- ② HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 3. PLATING:
51952-135, 51952-135LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.
 - ④ MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 6. PACKAGED IN TRAYS.
- PCB NOTES:**
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 - ⑨ $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER .001 (.03)
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm .07$ HOLE.
 - ⑩ "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 - ⑪ CONNECTOR KEEP-OUT ZONE.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date			COPY		www.fciconnect.com	
A				linear	$0.X \pm 0.3$	projection			
					$0.XX \pm 0.13$				
				angles	$0.XXX \pm 0.051$				
					$0^\circ \pm 2^\circ$				
				dr	JULIA WANG 07/01/08				
				engr	JEROME CHEN 07/01/08				
				chr	GARY HSIEH 07/01/08				
				appd	JOSEPH HSIA 07/01/08				
sheet index	revision sheet					scale	1:1		