

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10083512-Z0050YYLF](#)

For any questions, you can email us directly:


sales@integrated-circuit.com

FCI CONFIDENTIAL

FCI

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way without the written consent of FCI. Copyright FCI.

FCI PART NO.	POWER TYPE	LENGTH "X"
10083512-Z0050YYLF	12V	500±25/-0
10083512-Z0100YYLF	12V	1000±15
10083512-Z0300YYLF	12V	3000±25
10083512-Z0500YYLF	12V	5000±25



PIN ASSIGNMENT

P1	SIGNAL NAME	WIRE COLOR	WIRE AWG	P2
1	VBUS (+5V)	RED	20	1
2	DATA -	WHITE	28	2
3	DATA +	GREEN	28	3
4	GND	BLACK	20	4
5	12V RETURN	BLUE	20	5
6	+12V	BROWN	20	6
SHELL	FRAME GND	BRAID		SHELL

Mark with
10075076001
REV. pro_revision
in area indicated
by X.....

rev	ecm no	dr	date
A	N08-0120	ST	6/18/2008
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR			
ANGULAR	0°	±2°	

Material	Spec ref	spec_ref	projection	MM
Mat code	surface	tolerance	ISO 406	ISO 1101
Heat treat	ISO 1302			
Plating/Finish				
Dr Sunny Tsai	11/7/2007	Product family	CABLE ASS'Y	size A3
Eng Sunny Tsai	11/7/2007	Model Name	ECN	Scale -
Chr Jackson Wang	11/7/2007	Model Revision	REL Level	
Appr Jackson Wang	11/7/2007			
FCI	title	no	10083512	Rev. A
Pro/E file	catalog no			

REV 1 - 0806-04-07

2

3PDM: Rev:A

STATUS: Released

Printed: Jul 10, 2009

FCI PART NO. SEE SHEET 1

NOTES:

1. USB+POWER MATES WITH FCI PART NUMBER: 55917-5XXLF.
2x3 LATCH-N-LOK MATES WITH FCI PART NUMBER: 78097-XXXLF.

2. UNLESS OTHERWISE SPECIFIED ASSEMBLED LENGTH TOLERANCE

=< 1 METER= ±15.0mm

> 1 METER TO 10 METER= ±2% OF L1 OR L2

> 10 METER= +0%/-4% OF L1 OR L2

3. PART NUMBER SCHEME FOR CABLE ASSEMBLY:

10083512 - Z X X X X Y Y LF

LF: LEAD FREE

NOT APPLICABLE TO THIS ASSEMBLY

NOT APPLICABLE TO THIS ASSEMBLY

LENGTH (METERS & CENTIMETERS)

0100: 1 METERS 00 CENTIMETERS

WIRE GAGE

Z: MULTIPLE WIRE GAGE

4. UNLESS OTHERWISE SPECIFIED LABEL POSITION SHALL BE APPROXIMATELY 60mm FROM REAR OF CONNECTOR.

5. UNLESS OTHERWISE SPECIFIED STANDARD LABEL SHALL BE BRADY LABEL P/N TH1-10-427-30.

LABEL DETAILS:

FCI	---	MANUFACTURER CODE OR NAME
10083512-ZXXXXYYLF	---	FCI P/N
REV.A	---	REVISION
WWYY	---	DATE CODE WWYY FORMAT
MADE IN CHINA	---	COUNTRY ORIGIN

6. ALL CABLE ASSEMBLIES SHALL BE TESTED 100% FOR CONTINUITY AS DEFINED IN WIRING LIST.

7. UNLESS OTHERWISE SPECIFIED ALL CABLE ASSEMBLIES SHALL BE 100% HI-POT TESTED: DC 300V/10ms

8. OTHER ELECTRICAL SPECIFICATIONS:

DIELECTRIC RESISTANCE: 50M Ohms MIN.

CONNECTION RESISTANCE: 0.8 Ohms MAX. (-Z0050YYLF, 0.5MR LENGTH)

1.2 Ohms MAX. (-Z0100YYLF, 1.0MR LENGTH)

1.5 Ohms MAX. (-Z0300YYLF, 3.0MR LENGTH)

1.8 Ohms MAX. (-Z0500YYLF, 5.0MR LENGTH)

9. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.

10. LEAD FREE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

11. CONNECTOR ASSEMBLIES SHOWN ARE FOR REFERENCE ONLY AND MAY NOT SHOWN ALL PART DETAIL, REFERENCE CONNECTOR ASSEMBLY DRAWINGS FOR COMPLETE DETAILS.

12. PACKAGE: EACH CABLE ASSEMBLY IN CLEAR ZIP-LOCK BPLY BAG, THEN BULK PACKED IN A BOX.

13. MATERIAL:

4	1	PC	ADHESIVE LABEL.
3	AR	MM	USB+POWER CABLE: 28AWG*1P+20AWG*4C+SHIELD.
2	1	PC	USB+POWER PLUG KIT (12V) TYPE A, KEY POSITION 1, FCI P/N: 74233-102LF.
1	1	PC	2X3 LATCH-N-LOK 360° SHIELDED PLUG CONNECTOR KIT, PEBBLE GRAY, FCI P/N: 74902-609LF.
ITEM	Q'TY	UNIT	DESCRIPTION

Mark with
10075076001
REV. pro_revision
in area indicated
by X....

rev	ecm no	dr	date
-	See sheet 1	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

TOLERANCES UNLESS OTHERWISE SPECIFIED		
LINEAR		
ANGULAR	0°	±2°

Material				Spec ref		spec_ref			
Mat code				surface		tolerance		projection	
Heat treat				ISO 1302		ISO 406		MM	
Plating/Finish				ISO 1302		ISO 1101		A3	
Dr		Sunny Tsai	11/7/2007	Product family		CABLE ASS'Y		Scale -	
Eng		Sunny Tsai	11/7/2007	Model Name		ECN		REL Level	
Chr		Jackson Wang	11/7/2007	Model Revision		REL Level		A	
Appr		Jackson Wang	11/7/2007						
FCI		CABLE :USB+POWER(12V) TO 2X3 LATCH-N-LOK (ROHS)				no		10083512	
Rev						dwg no		A	
Proj/E file		catalog no				CUSTOMER DWG		sheet 2 of 2	

3PDM: Rev:A

STATUS: Released

Printed: Jul 10, 2009

2