

Excellent Integrated System Limited




Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[63444-006TCLF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



CONFIDENTIAL

rev	ecm no	dr	date
F	S04-0272	KBM	2004/12/21
G	S06-0236	KHL	2006/07/17
H	S10-0205	PR	2010/01/02
-	-	-	-
-	-	-	-
D	S00120	JPEH	1999/11/01
E	S00129	JPEH	2000/07/07

www.fciconnect.com		surface  ISO 1302		tolerance std ISO 406 ISO 1101		projection 		MM 			
		TOLERANCES UNLESS OTHERWISE SPECIFIED									
Dr JPEH		2006/07/17		ANGULAR		0.X ±		size A3		Scale 5:1	
Eng JPEH		2000/07/07		LINEAR		0.XX ±0.25					
Chr KH LEE		2010/01/02		0° ±*		0.XXX ±		ECN		S10-0205	
Appr JOEY NG		2010/01/02		Product family		MINITEK		Spec ref		-	
		TITLE MINITEK II R/R				dwg no		63444		Rev. H	
		SMT STR HDR WITH LOCATOR				catalog no		CUSTOMER		sheet 1 of 3	

REV F - 2006-06-17

1

2

3

PDM: Rev:H

STATUS Released

Printed: Dec 21, 2010



Copyright FCI.

PRODUCT NO.	POS	DIM X	DIM Y	DIM Z	DIM A	DIM B	DIM W	POL. POS	PLATING	TUBE PACK'G AVAILABLE	TUBE W CAP PACK'G AVAIL.
63444-001	2X25	48	50	46	4.1	9.2	2.1	-	0.76µm MIN GXT	YES	YES
-002	2X25	48	50	46	4.0	14.0	2.6	-	0.76µm MIN GXT	-	-
-003	2X8	14	16	12	4.0	14.0	2.6	-	0.76µm MIN GXT	-	-
-004	2X16	30	32	28	4.1	9.2	2.1	-	0.76µm MIN GXT	YES	YES
-005	2X16	30	32	28	3.8	7.2	2.1	-	0.76µm MIN GXT	-	-
-006	2X8	14	16	12	5.0	0	2.1	-	0.76µm MIN GXT	-	-
-007	2X16	30	32	28	5.0	0	2.1	-	0.76µm MIN GXT	-	-

CONFIDENTIAL

www.fciconnect.com			surface ISO 1302		✓	tolerance std ISO 406 ISO 1101		projection 		MM 		
TOLERANCES UNLESS OTHERWISE SPECIFIED												
Dr	JPEH	2006/07/17	ANGULAR	LINEAR	0.X		±:	size	A3			
Eng	JPEH	2000/07/07			0.XX		±0.25	Scale			5:1	
Chr	KH LEE	2010/01/02			0.XXX		±:	ECN		S10-0205		
Appr	JOEY NG	2010/01/02	Product family				MINITEK		Spec ref		-	
			title MINITEK II R/R					dwg no 63444		Rev. H		
			SMT STR HDR WITH LOCATOR									
			catalog no					-		CUSTOMER		
										sheet 2 of 3		

REV 7 - 2006-04-17

1

2

3


PDM: Rev:H

STATUS Released

Printed: Dec 21, 2010

NOTES:

1. MATERIAL:
BODY : GLASS FILLED PCT UL 94V-0 NATURAL (BEIGE)
PIN : PHOSPHOR BRONZE
2. TOLERANCE UNLESS OTHERWISE NOTED ± 0.25
- ③ DIM 1.0 ± 0.15 FOR MOLDED SIDE(S) ONLY. IF SIDE(S) ARE BROKEN, DIM 1.5 MAX APPLIES.
- ④ RECESS APPLIES TO MOLDED SIDE(S) ONLY.
- ⑤ POLARISATION BY OMISSION OF PIN. POSITION REFER TO TABLE.
6. STANDARD PACKAGING IN PLASTIC BAG.
7. P/N 63444-XXXTC TO BE PACKED IN TUBE WITH PICK-UP CAP INSTALLED IN THE CENTRE OF THE PRODUCT. SEE FIG 1. REFER TO TABLE FOR AVAILABILITY.
8. P/N 63444-XXXT TO BE PACKED IN TUBE. REFER TO TABLE FOR AVAILABILITY.
9. PRODUCT DESCRIPTION CODE:
XXXXX-XXXLF
LEAD FREE. SEE NOTE 11
EXTENSION NUMBER
BASE NUMBER
10. THE HOUSING WILL WITHSTAND EXPOSURE TO 250°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑪ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ⚠ 12. A ⚠ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



PICK-UP CAP
(COLOR BLACK)




FIG. 1

CONFIDENTIAL

www.fciconnect.com			surface ISO 1302	✓	tolerance std ISO 406 ISO 1101	projection ⊕	MM
			TOLERANCES UNLESS OTHERWISE SPECIFIED				Scale 5:1
Dr	JPEH	2006/07/17	ANGULAR	0.X	±	size A3	ECN S10-0205
Eng	JPEH	2000/07/07	LINEAR	0.XX	±0.25		
Chr	KH LEE	2010/01/02	0° ±*	0.XXX	±		
Appr	JOEY NG	2010/01/02	Product family		MINITEK	Spec ref	-
FCI			Title		MINITEK 11 R/R	dwg no 63444	Rev. H
			SMT STR HDR WITH LOCATOR				
			catalog no			CUSTOMER	sheet 3 of 3