

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106116-4011101LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Chan	20140704	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Chan	20140715	chr	Li-Ho	ecm no	-	rel level	Released
		appr	Pui-Ming Zhang	20140715	product family	PwrBlade+				
surface	linear	0.X	±0.5	FCI	44S + 4ACP	RA STB HEADER	cat. no.	10106116-4011101	rev	A
		0.XX	±0.25							
		0.XXX	±0.10							
ASME Y14.5	angular	0°	±2°	www.fci.com						

Prod File - REV C - 2010-04-09

1

2

3

PDS: Rev :A

STATUS:Released

Printed: Jul 15, 2014

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C


D

A

PRODUCT NO.	ROWS	SIGNAL											HIGH POWER				
		E1	1	2	3	4	5	6	7	8	9	10	11	P1	P2	P3	P4

10106116-4011101LF

DCBA



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)
X	OMITTED

dr	Rainbow Chan	20140704	projection	MM	size	A3	scale	3:2
eng	Rainbow Chan	20140715			ecm no			
chr	Li-Ho	20140714			rel level			
appr	Pui-Ming Zhang	20140715	product family	PwrBlade+				
					44S + 4ACP	10106116-4011101	rev	A
www.fci.com					cat. no.	Product - Customer Drw	sheet 2 of 3	

PDS: Rev :A

STATUS:Released

Printed: Jul 15, 2014

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10124315.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762 MM MIN Sn
OVER 0.0254 - 0.0762 MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Rainbow Zhan	20140704		MM	size	A3	scale	3:2
eng	Rainbow Zhan	20140715			ecn no	-		
chr	Li-Ho	20140714						
appr		Pui-Ming Zhang	20140715	product family	PwrBlade+	rel level	Released	
			title	44S + 4ACP RA STB HEADER		dwg no	10106116-4011101	
www.fci.com			cat. no.	Product - Customer Drw			sheet 3 of 3	