

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106117-A009001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



Copyright FCI.

spec ref		* TOLERANCES UNLESS OTHERWISE SPECIFIED		dr Peng-Bing Fu 20121101		projection M		size A3		scale 3:2	
tolerance std ASME Y14.5				eng Rainbow Zhan 20150907		product family PwrBlade+		ecn no ELX-00-22854-1		rel level Released	
surface		linear		chr Fancy Zhang 201509029		title 2P+8S+4P+16S+2P+12S+2P RA PF HEADER		eng no 10106117-A009001		rev B	
ASME Y14.5		angular		appr Pei-Ming Zhang 201509029		cat. no.		Product - Customer Drw		sheet 1 of 3	

Print Date - REV C - 2010-04-09

1

2


3

PDS: Rev B

STATUS: Released

Printed: Sep 29, 2015

PRODUCT NO.	ROWS	HP		HIGH POWER						SIGNAL			HP		SIGNAL			HP		
		E1	P1	P2	1	2	P3	P4	P5	P6	3	4	5	6	P7	P8	7	8	9	10
10106117-A009001LF	D C B A		HE	HE	SD SA SD SA SD SA SD SA	HE	HE	HE	HE	HE	SD SA SD SA SD SA SD SA	HE	HE	SD SA SD SA SD SA SD SA	HE	HE	SD SA SD SA SD SA SD SA	HE	HE	









CODE	DESCRIPTION
HE	STD HIGH POWER CONTACT (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Peng-Bing Fu	20121101	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	20150907			ecn no	ELX-00-22854-1		
chr	Fancy Zhang	20150929			rel level	Released		
appr	Pai-Ming Zhang	20150929	product family		PwrBlade+		www.fci.com	
			title		2P+8S+4P+16S+2P+12S+2P		eng no	
RA PF HEADER			cat. no.		Product - Customer Drw		10106117-A009001	
www.fci.com			PDS: Rev :B		STATUS:Released		rev	
Printed: Sep 29, 2015			sheet 2 of 3				B	

Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Peng-Bing Fu	20121101	projection	MM	size	A3	scale	3:2	
eng	Rainbow Zhan	20150907			ecn no	ELX-00-22854-1			
chr	Fancy Zhang	20150929			rel level	Released			
appr	Pai-Ming Zhang	20150929	product family	PwrBlade+					
			2P+8S+4P+16S+2P+12S+2P RA PF HEADER			10106117-A009001			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			rev	B



Copyright FCI.