

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106124-6004002LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref		dr		Eddy Zeng	2014/03/20	projection	MM	size	A3	scale	3:2
tolerance std		eng		Eddy Zeng	2014/03/20						
ASME Y14.5		chr		Li-Hu	2014/03/27						
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr		Pai-Ming Zhang	2014/03/28	product family		PwrBlade+	rel level		Released
surface	linear	0.X	±0.5	FCI	3HP + 16S + 3HP		dwg no	10106124-6004002		rev	
		0.XX	±0.25								
		0.XXX	±0.10								
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw		sheet 1 of 3		

Prod File - REV C - 2009-04-09

1

2


3

PDS: Rev :A

STATUS:Released

Printed: Apr 01, 2014

PRODUCT NO.	ROWS	HIGH POWER				SIGNAL				HIGH POWER				E2
		E1	P1	P2	P3	1	2	3	4	P4	P5	P6		
10106124-6004002LF	DCBA		H1	H1	H1		R1	R1	R1	H1	H1	H1		
U U														



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Gddy Zeng	2014/03/20	projection	MM	size	A3	scale	3:2
eng	Gddy Zeng	2014/03/20			ecm no			
chr	Li-Hu	2014/03/27			rel level			
appr	Pai-Ming Zhang	2014/03/28	product family	PwrBlade+				
FCI					3HP + 16S + 3HP	10106124-6004002	rev	A
www.fci.com					RA STB HEADER			
cat. no.					Product - Customer Drw	sheet 2 of 3		

PDS: Rev :A

STATUS:Released

Printed: Apr 01, 2014

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Eddy Zeng	2014/03/20	projection	MM	size	A3	scale	3:2
eng	Eddy Zeng	2014/03/20			ecn no	-		
chr	Li-Hu	2014/03/27			rel level	Released		
appr	Pai-Ming Zhang	2014/03/20	product family		PwrBlade+			
		3HP + 16S + 3HP			dwg no	10106124-6004002		
www.fci.com		RA STB HEADER					rev	
cat. no.		Product - Customer Drw			sheet 3 of 3			