

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106129-G018001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PART NUMBER SEE SHEET 2



spec ref	*	dr	Xia Rob	201405021	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Chan	201405019	chr	Li-Ho	ecm no	-	rel level	Released
		appr	Pui-Ming Zhang	201405019	product family	PwrBlade+				
surface	linear	0.X	±0.5	FCI	8P + 72S + 8P VERTICAL PF HEADER		dwg no	10106129-G018001		rev
		0.XX	±0.25							
		0.XXX	±0.10							
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw	sheet 1 of 3		

Prod File - REV C - 2009-04-09

1

2

3

PDS: Rev :A

STATUS:Released

Printed: Jun 20, 2014



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Xin Bao	2014/05/21	projection	MM	size	A3	scale	3:2			
eng	Rainbow Zhan	2014/06/19			PwrBlade+	ecn no	rel level	Released			
chr	Li-Hu	2014/06/19									
appr	Pai-Ming Zhang	2014/06/19									
			product family								
FCI			8P + 72S + 8P			10106129-G018001			rev		
www.fci.com			VERTICAL PF HEADER						A		
cat. no.			Product - Customer Drw				sheet 3 of 3				