

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106132-8004003LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



Copyright FCI

spec ref	*	dr	Xia Bob	20131108	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Xia Bob	20131108			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-Hu	20131108			product family	PwrBlade+			
surface	linear	appr	Pai-Ming Zhang	20131108			cat. no.	10106132-8004003	rev	A	
	angular				Product - Customer Drw	sheet 1 of 3					

Print Date - REV C - 2009-04-09

1

2


3

PDS: Rev :A

STATUS:Released

Printed: Nov 21, 2013

PRODUCT NO.	ROWS	SIGNAL														HIGH POWER							
		E1	1	2	3	4	P1	P2	P3	P4	P5	P6	P7	P8	E2								
10106132-8004003LF	D C B A																						



CODE	DESCRIPTION
F	MLBF SIGNAL CONTACT, ROW B (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Xia Bob	20131108	projection	MM	size	A3	scale	3:2
eng	Xia Bob	20131108			ecn no	-	rel level	Released
chr	Li-Hu	20131108						
appr	Pai-Ming Zhang	20131108	product family	PwrBlade+				
			title 16S + 8HDP RA STB HEADER		eng no	10106132-8004003	rev	A
www.fci.com			cat. no.	Product - Customer Drw		sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Xia Bob	20131108	projection	MM	size	A3	scale	3:2
eng	Xia Bob	20131108			ecm no	-	rel level	Released
chr	Li-Hu	20131108			product family	PwrBlade+	rel level	Released
appr	Pai-Ming Zhang	20131108			eng no	10106132-8004003	rev	A
		title 16S + 8HDP RA STB HEADER		cat. no. Product - Customer Drw		sheet 3 of 3		



Copyright FCI.