

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106132-A000001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	-	dr	Hebin Zhang	20130427	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Hebin Zhang	20130521	chr		ecn no			
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Pai-Ming Zhang	20130521	product family	PwrBlade+	rel level		Released	
surface	linear	0.X	±0.5				eng no	10106132-A000001	rev	A
		0.XX	±0.25		www.fci.com	cat. no.				
		0.XXX	±0.10							
	angular	0°	±2°							

Prod File - REV C - 2009-04-29

1

2

3


PDS: Rev A

STATUS: Released

Printed: May 21, 2013

Product - Customer Drw sheet 1 of 3

PRODUCT NO.	ROWS	HIGH POWER											
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	E2
10106132-A000001LF	D C B A	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN

dr	Hebin Zhang	20130427	projection	MM	size	A3	scale	3:2
eng	Hebin Zhang	20130521			ecn no.	-	rel level	Released
chr	-	-			product family	PwrBlade+	rel level	Released
appr	Pai-Ming Zhang	20130521			cat. no.	10106132-A000001	rev	A
www.fci.com			title 10HDP RA STB HEADER		Product - Customer Drw		sheet 2 of 3	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Hebin Zhang	20130427	projection	MM	size	A3	scale	3:2
eng	Hebin Zhang	20130521			ecn no	-	rel level	
chr	-	-			Released			
appr	Pai-Ming Zhang	20130521	product family	PwrBlade+				
			www.fci.com			www.fci.com	www.fci.com	www.fci.com
www.fci.com			www.fci.com		www.fci.com		www.fci.com	

	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com
www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com	www.fci.com



Copyright FCI.