

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106137-C000001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PART NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Chan	2014/09/27	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Chan	2014/10/09	chr	Li-Ho	ecm no	-	rel level	Released
		chr	Li-Ho	2014/10/08	appr	Pui-Ming Zhang	product family	PwrBlade+		
surface	linear	0.X	±0.5		12HDP VERTICAL PF HEADER					
		0.XX	±0.25							
		0.XXX	±0.10							
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 1 of 3

Prod File - REV C - 2010-04-09

1

2

3

PDS: Rev :A

STATUS:Released

Printed: Oct 10, 2014

Report File : SEC - 2000-04-00

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Rainbow Zhan	2014/09/27			size	A3	scale	3:2	
eng	Rainbow Zhan	2014/10/09			ecr no				
chr	Li-Ho	2014/10/08							
appr	Pui-Ming Zhang	2014/10/09							
			product family		PwrBlade+		rel level	Released	
	title	12HDP			dng no		10106137-C000001		rev
		VERTICAL PF HEADER					A		
www.fci.com		cat. no.	Product - Customer Drw				sheet 3 of 3		