

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106139-A008001LF](#)

For any questions, you can email us directly:
sales@integrated-circuit.com





PART NUMBER 10106139-A008001LF

A

B

C

D



Copyright FCI.

spec ref	-	dr	Peng-Bing Fu	20110809	projection	mm	size	A3	scale	3:2	
tolerance std	ISO 406 ISO 1101	eng	Peng-Bing Fu	20121115		mm	ecn no	ELX-00-01546-1	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Tian-Xu Huang	20121115							
		appr	Pai-Ming Zhang	20121115							
surface	ISO 1302	linear	0.X	±0.50	product family		PwrBlade+	cat. no.	10106139-A008001	rev	B
			0.XX	±0.25	www.fci.com		Product - Customer Drw	sheet 1 of 3			
		angular	0°	±2°	cat. no.						

Prod File - REV C - 2009-04-09

1

2


3

PDS: Rev B

STATUS: Released

Printed: Nov 14, 2012

PRODUCT NUMBER	ROWS	SIGNAL	HIGH POWER	CODE	DESCRIPTION
10106139-A008001LF	D C B A	8 7 6 5 4 3 2 1	P10 P9 P8 P7 P6 P5 P4 P3 P2 P1	H	STD HIGH POWER CONTACT
				S	STD SIGNAL CONTACT
				HA	METAL HOLD DOWN






dr	Peng-Bing Fu	20110809	projection	mm	size	A3	scale	3:2
eng	Peng-Bing Fu	20121115		mm	ecn no	ELX-00-01846-1	rel level	Released
chr	Tian-Xu Huang	20121115						
appr	Pai-Ming Zhang	20121115	product family	PwrBlade+				
			title	10HDP + 32S	eng no	10106139-A008001	rev	B
www.fci.com			cat. no.		Product - Customer Drw	sheet 2 of 3		



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS
BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

dr	Peng-Bing Fu	20110809	projection	mm	size	A3	scale	1:1
eng	Peng-Bing Fu	20121113			ecn no	ELX-00-01846-1		
chr	Tian-Xu Huang	20121113			rel level	Released		
appr	Pai-Ming Zhang	20121113	product family	PwrBlade+				
		title 10HDP + 32S VERTICAL PF RECEPTACLE		eng no 10106139-A008001	rev B			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			



Copyright FCI.