

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106262-0006001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref		dr		Peng-Bing Fu		201208016		projection		MM		size		A3		scale		3:2	
tolerance std		eng		Peng-Bing Fu		201302015						ecm no		rel level		Released			
ASME Y14.5		chr		-		-													
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr		Pai-Ming Zhang		201302015		product family		PwrBlade+									
surface		linear		0.X		±0.5				title		24S		dwg no		10106262-0006001		rev	
		0.XX		±0.25															
		0.XXX		±0.10															
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 1 of 3				A	

Prod File - REV C - 2009-04-09

1

2


3

PDS: Rev A

STATUS: Released

Printed: Mar 15, 2013

PRODUCT NO.	ROWS	SIGNAL					
		E1	1	2	3	4	E2
10106262-0006001LF	DCBA		V	V	V	V	H
			T	T	T	T	G
			S	S	S	S	F
			R	R	R	R	E
			H	H	H	H	A



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
F	MLBF SIGNAL CONTACT, ROW B (3.43)
G	MLBF SIGNAL CONTACT, ROW C (3.43)
H	MLBF SIGNAL CONTACT, ROW D (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	201208015			size	A3	scale	3:2
eng	Peng-Bing Fu	201303015			ecn no	-		
chr	-	-			rel level	Released		
appr	Pai-Ming Zhang	201303015			product family			
			title	24S	chg no	10106262-0006001	rev	A
www.fci.com			RA STB HEADER					
cat. no.			Product - Customer Drw				sheet 2 of 3	

PDS: Rev :A

STATUS:Released

Printed: Mar 15, 2013

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Peng-Bing Fu	201208016	projection	MM	size	A3	scale	3:2		
eng	Peng-Bing Fu	201302015			ecn no	-	rel level	Released		
chr	-	-								
appr	Pai-Ming Zheng	201302015	product family		PwrBlade+					
FCI					title	24S	dwg no	10106262-0006001	rev	A
RA STB HEADER										
www.fci.com		cat. no.		Product - Customer Drw			sheet 3 of 3			