

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106262-9005001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref		*	dr		Xin Bob	201306022	projection		MM		size	A3	scale	3:2												
tolerance std		ASME Y14.5											eng		Xin Bob	201306022	chr		Li-Hu	201306019	ecn no		-	rel level		Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr		Pei-Ming Zhang		201306022		product family		PwrBlade+		rel level		Released												
		surface		linear		0.X		±0.5				title		5ACP+20S+4HDP		cat. no.		RA STB HEADER		Product - Customer Drw		sheet 1 of 3				
		0.XX		±0.25																						
		0.XXX		±0.10																						
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 1 of 3												

Prod File - REV C - 2009-04-09

1

2

3

PDS: Rev A

STATUS: Released

Printed: Jun 20, 2013

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D

A

B

C

D


A

B

C

D

PRODUCT NO.	ROWS	HIGH POWER					SIGNAL					HIGH POWER				
		E1	P1	P2	P3	P4	P5	1	2	3	4	5	P6	P7	P8	P9
10106262-9005001LF	D C B A	H3	H3	H3	H3	X	V V									



CODE	DESCRIPTION
H3	STD HIGH POWER CONTACT (2.29)
N	STD SIGNAL CONTACT, ROW A (2.34)
P	STD SIGNAL CONTACT, ROW B (2.34)
Q	STD SIGNAL CONTACT, ROW C (2.34)
V	STD SIGNAL CONTACT, ROW D (2.34)
X	OMITTED

dr	Xin Bob	2013/06/22	projection	MM	size	A3	scale	3:2
eng	Xin Bob	2013/06/22			ecm no			
chr	Li-Hu	2013/06/22			rel level			
appr	Pai-Ming Zhang	2013/06/22	product family	PwrBlade+				
FCI				5ACP+20S+4HDP	10106262-9005001			
www.fci.com				RA STB HEADER				
cat. no.				Product - Customer Drw	sheet 2 of 3			

PDS: Rev :A

STATUS:Released

Printed: Jun 20, 2013

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Xin Bob	2013/06/22			size	A3	scale	3:2		
eng	Xin Bob	2013/06/20			ecn no	-				
chr	Li-Hu	2013/06/19								
appr	Pai-Ming Zhang	2013/06/20	product family				PwrBlade+	rel level	Released	
		title					5ACP+20S+4HDP	dwg no		10106262-9005001
		RA STB HEADER			rev		A			
cat. no.		Product - Customer Drw			sheet 3 of 3					