

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[FCI](#)
[10106263-G012002LF](#)

For any questions, you can email us directly:


sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2


A




B



C



D



spec ref	*	dr	Peng-Bing Fu	20150508	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Zhen-Hua Liu	20150504	chr	Fancy Zhang	ecn no	ELX-00-22545-1	rel level	Released
		appr	Pai-Ming Zheng	20150505	product family	PwrBlade+	cat. no.	10106263-G012002	rev	C
surface	linear	0.X	±0.5	0.XX	±0.25	0.XXX	±0.10	angular	0°	±2°
ASME Y14.5	angular	0°	±2°							

PwrBlade - REV C - 2009-04-09

1

2

3

PDS: Rev :C

STATUS:Released

Printed: Oct 19, 2015

D


A

B

C



Copyright FCI.



NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- △ 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- △ 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.
- 9) A △ SYMBOL WILL BE NEXT TO ANY DIMENSION,VIEW,OR NOTE WHICH HAS BEEN
MODIFIED WITH THE CURRENT DRAWING REVISION.

dr	Peng-Bing Fu	20151008	projection	MM	size	A3	scale	3:2
eng	Zhen-Hua Liu	20151014			ecn no	ELX-00-22545-1		
chr	Fancy Zhang	20151016						
appr	Pei-Ming Zheng	20151016	product family		PwrBlade+		rel level	Released
		4ACP + 48S + 12HDP			dwg no	10106263-G012002	rev	C
RA PF HEADER								
www.fci.com		cat. no.	Product - Customer Drw				sheet 3 of 3	