

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106264-G012002LF](#)

For any questions, you can email us directly:
sales@integrated-circuit.com




PRODUCT NO.	ROWS	HIGH POWER												SIGNAL												HIGH POWER				CODE	DESCRIPTION	
		E1	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	12	11	10	9	8	7	6	5	4	3	2	1	P4	P3	P2			P1
10106264-G012002LF	D C B A	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H	H	H	H	H	H	H	H	H	H	H	H	H1	H1	H1	H1		E	STD SIGNAL CONTACT, ROW A
														G	G	G	G	G	G	G	G	G	G	G	G						F	STD SIGNAL CONTACT, ROW B
														F	F	F	F	F	F	F	F	F	F	F	F						G	STD SIGNAL CONTACT, ROW C
														E	E	E	E	E	E	E	E	E	E	E	E						H	STD SIGNAL CONTACT, ROW D
																															H1	MFBL HIGH POWER CONTACT(3.43)



dr	Eddy Zeng	20131101	projection	MM	size	A3	scale	3:2
eng	Eddy Zeng	20131106			ecn no	rel level	Released	rev
chr	Li-Hu	20131106						
appr	Pai-Ming Zhang	20131106	product family	PwrBlade+	Product - Customer Drw			
			title	4ACP + 48S + 12HDP RA STB RECEPTACLE	eng no	10106264-G012002	A	
www.fci.com			cat. no.					sheet 2 of 3

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Eddy Zeng	201311021	projection	MM	size	A3	scale	3:2
eng	Eddy Zeng	201311026			ecn no	-	rel level	
chr	Li-Hu	201311026			Product family		PwrBlade+	Released
appr	Pai-Ming Zhang	201311026	product family		PwrBlade+	rel level		Released
		title 4ACP + 48S + 12HDP RA STB RECEPTACLE		eng no 10106264-G012002		rev A		
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			



Copyright FCI.