

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)

[10106268-0004001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com





PRODUCT NUMBER SEE SHEET 2

A

B

C

D



spec ref			dr	Rainbow Zhan	20150907	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Rainbow Zhan	20150914			ecn no			
ASME Y14.5			chr	-	20150914			product family	PowerBlade+	rel level	Released
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	0.X	±0.50		16S VT STB RECEPTACLE		cat. no.	Product - Customer Drw	sheet 1 of 3	rev A	10106268-0004001
		0.XX	±0.25								
0.XXX	±0.10	0°	±2°								

Prod File - REV C - 2010-04-10

1

2

3

PDS: Rev :A


STATUS:Released

Printed: Jan 19, 2015

Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL			
		E1	3	2	E2
10106268-0004001LF	D C B A	E1	3	2	E2
		E1	3	2	E2

CODE	DESCRIPTION
E	STD SIGNAL CONTACT
HA	METAL HOLD DOWN





dr	Rainbow Zhan	20150907	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	20150914			ecn no	-	rel level	Released
chr	-	-			product family	PowerBlade+	rel level	Released
appr	Pai-Ming Zheng	20150914			cat. no.	16S	eng no	10106268-0004001
					VT STB RECEPTACLE		rev	A
www.fci.com			Product - Customer Drw		sheet 2 of 3			



NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Rainbow Zhan	20150907	projection	MM	size	A3	scale	1:1
eng	Rainbow Zhan	20150914			ecn no	-	rel level	Released
chr	-	-			product family	PowerBlade+	rel level	Released
appr	Pai-Ming Zheng	20150914			cat. no.	16S	www.fci.com	rev
						VT STB RECEPTACLE	10106268-0004001	A
						Product - Customer Drw	sheet 3 of 3	



Copyright FCI.