

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106269-6208001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



Copyright FCI.

spec ref	dr Peng-Bing Fu 2012/02/11	projection	MM	size A3	scale 3:2
tolerance std ASME Y14.5	eng Peng-Bing Fu 2013/02/15	chr		ecn no	
TOLERANCES UNLESS OTHERWISE SPECIFIED	appr Pui-Ming Zhang 2013/02/15	product family PowerBlade+		rel level Released	
surface	linear		title 2ACP+1LP+32S+3HDP+1LP+IP VT PF RECEPTACLE www.fci.com	eng no 10106269-6208001	rev A
ASME Y14.5	angular 0° ±2°			cat. no.	Product - Customer Drw

Prod File - REC C - 2009-04-09

1

2

3


PDS: Rev A

STATUS: Released

Printed: Mar 15, 2013

PRODUCT NO.	ROWS	POWER					SIGNAL					LP		HP					
		E1	P6	P4	P5	P4	P3	8	7	6	5	4	3	2	1	IP1	P2	P1	E2
10106269-6208001LF	D C B A		HG	LT	HG	HG	HG	F	F	F	F	F	F	F	F	F	F	F	F

CODE	DESCRIPTION
F	STD SIGNAL CONTACT
HG	STD HIGH POWER CONTACT (3.43)
LT	STD LOW POWER CONTACT (3.43)













dr	Peng-Bing Fu	2012/02/1	projection	MM	size	A3	scale	3:2
eng	Peng-Bing Fu	2013/02/15			ecn no	-	rel level	Released
chr	-	-						
appr	Pai-Ming Zhang	2013/02/15	product family	PowerBlade+				
			title	2ACP+1LP+32S+3HDP+1LP+1P	eng no	10106269-6208001	rev	A
www.fci.com			cat. no.	Product - Customer Drw		sheet 2 of 3		



NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Peng-Bing Fu	20121021	projection	MM	size	A3	scale	1:1
eng	Peng-Bing Fu	20130215			ecn no			
chr					rel level	Released		
appr	Pai-Ming Zhang	20130215	product family	PowerBlade+				
								
www.fci.com	cat. no.	3	PDS: Rev :A	STATUS:Released	Product - Customer Drw	sheet 3 of 3		



Copyright FCI.