

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0397520003](#)


For any questions, you can email us directly:

sales@integrated-circuit.com


PART NUMBER DATA							
CIRCUITS	PART NUMBER	ENGINEERING NUMBER	COLOR	A IN mm	B IN mm		
2	397520002	M351P-01-02-3	GREEN	.26	6.5	.138	3.50
3	397520003	M351P-01-03-3	GREEN	.39	10.0	.276	7.00
4	397520004	M351P-01-04-3	GREEN	.53	13.5	.413	10.50
5	397520005	M351P-01-05-3	GREEN	.67	17.0	.551	14.00
6	397520006	M351P-01-06-3	GREEN	.81	20.5	.689	17.50
7	397520007	M351P-01-07-3	GREEN	.94	24.0	.827	21.00
8	397520008	M351P-01-08-3	GREEN	1.08	27.5	.965	24.50
9	397520009	M351P-01-09-3	GREEN	1.22	31.0	1.102	28.00
10	397520010	M351P-01-10-3	GREEN	1.36	34.5	1.240	31.50
11	397520011	M351P-01-11-3	GREEN	1.50	38.0	1.378	35.00
12	397520012	M351P-01-12-3	GREEN	1.63	41.5	1.516	38.50
13		M351P-01-13-3	GREEN	1.77	45.0	1.654	42.00
14		M351P-01-14-3	GREEN	1.91	48.5	1.791	45.50
15		M351P-01-15-3	GREEN	2.05	52.0	1.929	49.00
16		M351P-01-16-3	GREEN	2.18	55.5	2.067	52.50
17		M351P-01-17-3	GREEN	2.32	59.0	2.205	56.00
18		M351P-01-18-3	GREEN	2.46	62.5	2.343	59.50
19		M351P-01-19-3	GREEN	2.60	66.0	2.480	63.00
20		M351P-01-20-3	GREEN	2.74	69.5	2.618	66.50
21		M351P-01-21-3	GREEN	2.87	73.0	2.756	70.00
22		M351P-01-22-3	GREEN	3.01	76.5	2.894	73.50
23		M351P-01-23-3	GREEN	3.15	80.0	3.031	77.00
24		M351P-01-24-3	GREEN	3.29	83.5	3.169	80.50

REF. THE LAST 2 DIGITS OF THE PART NUMBER EQUAL CIRCUIT COUNT

ENGINEERING NUMBER LEGEND



CONTACT FACTORY FOR OPTIONAL COLORS



SPECIFICATIONS

1. MATERIAL:

- A. BODY: PA66, UL94V-0
- B. TERMINAL: BRASS. TIN PLATED

2. RATING: 125V, 8A

3. OPERATING TEMPERATURE: -40°C TO +105°C

4. MAX SOLDERING: 260°C (+500°F) FOR 5 SECONDS

5. DIMS SHOWN ARE FOR REFERENCE ONLY

RELEASED EC NO: IPG/2014-0082 DRAWN: RSTONE 2014/07/25 CHECKED: G FARNSW APPR: JF MURPHY 2014/10/16 REV: 1	QUALITY SYMBOLS ▽=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr><th>PLACES</th><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr> <tr><td>3 PLACES</td><td>±---</td><td>±.005</td></tr> <tr><td>2 PLACES</td><td>±0.13</td><td>±.01</td></tr> <tr><td>1 PLACE</td><td>±0.3</td><td>±---</td></tr> </table> ANGULAR ±---°	PLACES	mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±.005	2 PLACES	±0.13	±.01	1 PLACE	±0.3	±---	DIMENSION STYLE IN/MM DRAWN BY DATE RSTONE 2014/07/25 CHECKED BY DATE G FARNSW APPROVED BY DATE JF MURPHY 2014/10/16	SCALE --- DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE PIN HEADER-BREAKABLE 3.50MM, VERTICAL
	PLACES	mm	INCH																	
	4 PLACES	±---	±---																	
	3 PLACES	±---	±.005																	
2 PLACES	±0.13	±.01																		
1 PLACE	±0.3	±---																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART DOCUMENT NO. SD-39752-001	MOLEX INCORPORATED	SHEET NO. 1 OF 1																
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				
SIZE B																				