

Excellent Integrated System Limited




Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[1722582108](#)

For any questions, you can email us directly:



sales@integrated-circuit.com





STANDARD HOUSING



WITH TPA
FEATURE




TERMINAL ORIENTATION



NOTES:

1. MATERIAL :
OPTION 1: PA4T NYLON V-0 BLACK
OPTION 2: PA4T NYLON V-0 NATURAL
2. PARTS TO BE PACKAGED PER PK-172323-0010
3. PRODUCT SPECIFICATION PS-172323-0001
4. PART MATES WITH MOLEX R/A HEADER ASSEMBLY 172316 AND VERTICAL HEADER ASSEMBLY 172298, 172299 SERIES.
5. TO USE WITH TERMINAL 172253 SERIES
6. TO USE WITH 172264 TPA
7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002
8. APPLICATION SPECIFICATION: AS-172323-0001

X-RELEASE EC NO. 172205-403 DRAWN/DROSCA CHKD: APPROVED: REV: A6	DESCRIPTION 2015/05/15	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE ULTRA-FIT RECEPTACLE 4-16 CKTS DUAL ROW molex	SHEET NO. SD-172258-0001	1 OF 2
			mm	INCH	DRAWN BY DROSCA	DATE 2014/03/07						
			4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	CHECKED BY	DATE						
			2 PLACES ± 0.25 ± ---	1 PLACE ± 0.5 ± ---	APPROVED BY	DATE 2014/10/14						
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		CONTAINS INFORMATION TO PROPRIETARY TO MOLEX		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



STANDARD HOUSING					
PART NO.	UL	COLOR	CIRCUIT SIZE	KEY OPTION	DM B
172258-1004	V-0	BLACK	4	KEY A	8.00
172258-1006	V-0	BLACK	6	KEY A	11.50
172258-1008	V-0	BLACK	8	KEY A	15.00
172258-1010	V-0	BLACK	10	KEY A	18.50
172258-1012	V-0	BLACK	12	KEY A	22.00
172258-1014	V-0	BLACK	14	KEY A	25.50
172258-1016	V-0	BLACK	16	KEY A	29.00
172258-2004	V-0	NATURAL	4	KEY B	8.00
172258-2006	V-0	NATURAL	6	KEY B	11.50
172258-2008	V-0	NATURAL	8	KEY B	15.00
172258-2010	V-0	NATURAL	10	KEY B	18.50
172258-2012	V-0	NATURAL	12	KEY B	22.00
172258-2014	V-0	NATURAL	14	KEY B	25.50
172258-2016	V-0	NATURAL	16	KEY B	29.00

WITH TPA ATTACH FEATURE					
PART NO.	UL	COLOR	CIRCUIT SIZE	KEY OPTION	DM B
172258-1104	V-0	BLACK	4	KEY A	8.00
172258-1106	V-0	BLACK	6	KEY A	11.50
172258-1108	V-0	BLACK	8	KEY A	15.00
172258-1110	V-0	BLACK	10	KEY A	18.50
172258-1112	V-0	BLACK	12	KEY A	22.00
172258-1114	V-0	BLACK	14	KEY A	25.50
172258-1116	V-0	BLACK	16	KEY A	29.00
172258-2104	V-0	NATURAL	4	KEY B	8.00
172258-2106	V-0	NATURAL	6	KEY B	11.50
172258-2108	V-0	NATURAL	8	KEY B	15.00
172258-2110	V-0	NATURAL	10	KEY B	18.50
172258-2112	V-0	NATURAL	12	KEY B	22.00
172258-2114	V-0	NATURAL	14	KEY B	25.50
172258-2116	V-0	NATURAL	16	KEY B	29.00

QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
SYMBOL	DESCRIPTION	mm	INCH	STYLE	DATE	SCALE	UNIT	UNIT	UNIT	UNIT	UNIT
▽=0	4 PLACES	±---	±---	DRAWN BY	DATE	4:1	METRIC	METRIC	METRIC	METRIC	METRIC
▽=0	3 PLACES	±---	±---	CHECKED BY	DATE						
▽=0	2 PLACES	±0.25	±---	APPROVED BY	DATE						
▽=0	1 PLACE	±0.5	±---	RHODGE	2014/10/14						
▽=0	0 PLACE	±---	±---	PATERIAL NR.							
ANGULAR ±1/2°		DRAFT WHERE APPLICABLE		SEE PAGE 1		DOCUMENT NO.		SD-172258-0001		SHEET NO.	
MUST REMAIN WITHIN DIMENSIONS		SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						2 OF 2	