

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Laird Technologies - Signal Integrity Products](#)  
[CM3822R201R-00](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# Steward

Advanced Ferrite Materials, EMI Suppression, and Inductive Products

Home • Ferrite Product Lines • New Products • Technical • General • Contact • Steward Sales

## CM3822R201R-00

### STEWARD PART NUMBERING SYSTEM

CM	2722	R	151	R	-	00
PRODUCT SERIES CODE	PART SIZE CODE	RATED CURRENT CODE	IMPEDANCE VALUE CODE	PACKAGING CODE		ADDITIONAL DESCRIPTION

Ambient Operating Temperature Range : -55°C to +125°C




Figure 1




Figure 2




Figure 3

### Drawing Figure #

Figure Number
2

### Electrical Characteristics


NET Z @ 100 MHz	DCR Max	Rated Current mA
200	0.02	5000


### Physical Dimensions

A mm	B mm	B1 mm	C mm	C1 mm	D mm	E mm	E1 mm	A in	B in	B1 in	C in	C1 in	D in	E in	E1 in
9.78	5.72	6.73	9.53	10.31	2.41	0.89	1.91	0.385	0.225	0.265	0.375	0.406	0.095	0.035	0.075

**Wire Dimensions**

T1 mm	T2 mm	T3 mm	T1 in	T2 in	T3 in
1.91	0.38	0.38	0.075	0.015	0.015





Specifications, which provide more details for the correct use of the described products, are available upon request. All specifications are subject to change without notice. For more information on any of the products listed above, please contact Steward customer service department at (800) 634-2673.

[americas@steward.com](mailto:americas@steward.com)

[mexico@steward.com](mailto:mexico@steward.com)

[europa@steward.com](mailto:europa@steward.com)

[asia@steward.com](mailto:asia@steward.com)

Copyright© 2004 Steward, Inc.

Last Updated: 2/19/2004