

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[Molex Connector Corporation](#)
[0003062023](#)

For any questions, you can email us directly:



sales@integrated-circuit.com




PLUG HOUSING



CORRECT .194 DIM. EC NO: UCP2015-0569 DRAWING (PAPER) 2014/08/15 CHKD: BELL 2014/08/15 CAPPD: SMTH 2014/08/29	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
					IN/MM		4:1	INCH							
REV	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
					IN/MM		4:1	INCH							
												</			



RECEPTACLE HOUSING
(1625-2R2 SHOWN)



RECEPTACLE HOUSING
(1625-2R3 SHOWN)

OPTIONAL POSITIVE LOCK
ONE SIDE ONLY
SCALE 4:1

SEE SHEET 1 EC NO: UCP2015-0569 DRW:KTPR CHKD:JBL APPR:SMTH AT1	2014/08/15 2014/08/15 2014/08/29	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	TITLE PLUG AND RECEPTACLE 2 CIRCUIT HOUSINGS .062/(1.57) DIA. molex SD-1625-2* SHEET NO. 2 OF 3
			▽=0	mm	INCH	DRAWN BY	DATE				
			▽=0	4 PLACES ±.007	±.007	JJS	1988/04/13				
			▽=0	3 PLACES ±.007	±.007	CHECKED BY	DATE				
			▽=0	2 PLACES ±.018	±.010	RW	1988/04/13				
				1 PLACE ±.025	±.010	APPROVED BY	DATE				
				0 PLACE ±.025	±.010	RAS	1988/04/13				
				ANGULAR ± 1°		MATERIAL NO.		DOCUMENT NO.			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART					
						SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

ib_frame_C_P_AM_T
Rev. G 2012/01/11

DWG. NO.
SD-1625-2PI





E

D

C
DIMENSIONS IN METRIC DO NOT SCALE DRAWING

B

A



注記
NOTE

材質:ナイロン66, 94V-2
MATERIAL:NYLON66,94V-2

角度 ANGLE	公差 TOLERANCE
30°以上 OVER	+0.3
10°以上 30°未満 UNDER	+0.25
10°未満 UNDER	+0.2
一般公差 GENERAL TOLERANCES	

記号 LTR	変更内容 REVISION RECORD	DR	DATE
E	REVISED	S.K.	98/02/23
D	再作図 REDRAWN	M.F.	98/07/08

材料 MATERIAL	図中参照 REFER TO DRAWING
仕上げ FINISH	—
適用電線範囲 WIRE RANGE	—
被覆外径 INS. RANGE	—
DRAWN BY	98/02/23
CHK'D BY	98/02/23
APP'D BY	98/02/23
尺度 SCALE	2 : 1

1625-2PI	03-06-2023
ENG NO.	PART NO.
MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社	
REVISE ONLY ON CAD SYSTEM	
TITLE 名称	
.062 DIA. 2 CIRCUIT PLUG HOUSING	
DWG. NO.	REV
SD-1625-2PI	E

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス(株)の所有する情報を含むもので 当社の許可なく複製を禁止する。
EN-01C(032)MXJ-32