

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0015912160](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

71308-8426 PLATING EC NO: UC27014-4901 DRWNGM (PPER) CHFCKNGNGVEN APPR:FSMTH 2015/08/12 2015/08/12 2015/09/10		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE		DESIGN UNITS INCH		THIRD ANGLE PROJECTION																													
				<table><tr><th></th><th>mm</th><th>INCH</th></tr><tr><td>4 PLACES ±</td><td>± .005</td><td>± .0001</td></tr><tr><td>3 PLACES ±</td><td>± .005</td><td>± .0001</td></tr><tr><td>2 PLACES ±</td><td>± .013</td><td>± .005</td></tr><tr><td>1 PLACE ±</td><td>± .025</td><td>± .010</td></tr><tr><td>0 PLACE ±</td><td>± .---</td><td>± .---</td></tr></table>			mm	INCH	4 PLACES ±	± .005	± .0001	3 PLACES ±	± .005	± .0001	2 PLACES ±	± .013	± .005	1 PLACE ±	± .025	± .010	0 PLACE ±	± .---	± .---	<table><tr><th>DRAWN BY</th><th>DATE</th></tr><tr><td>KMS</td><td>1999/10/15</td></tr><tr><th>CHECKED BY</th><th>DATE</th></tr><tr><td>KMS</td><td>1999/10/15</td></tr><tr><th>APPROVED BY</th><th>DATE</th></tr><tr><td>KMS</td><td>1999/10/15</td></tr></table>		DRAWN BY	DATE	KMS	1999/10/15	CHECKED BY	DATE	KMS	1999/10/15	APPROVED BY	DATE	KMS	1999/10/15	TITLE		SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100	
			mm	INCH																																					
		4 PLACES ±	± .005	± .0001																																					
3 PLACES ±	± .005	± .0001																																							
2 PLACES ±	± .013	± .005																																							
1 PLACE ±	± .025	± .010																																							
0 PLACE ±	± .---	± .---																																							
DRAWN BY	DATE																																								
KMS	1999/10/15																																								
CHECKED BY	DATE																																								
KMS	1999/10/15																																								
APPROVED BY	DATE																																								
KMS	1999/10/15																																								
K8		REV		ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.																															
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLES		SD-71308-001		1 OF 6																															
						SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																	



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0015912160 - CONN HEADER 16POS .100" VERT TIN

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

electronic components																	
J	PACKAGING SEE NOTE 4 SHT 1		4-6 CKT	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	TAPE-N-REEL W/ VAC CAPS	N/A	BULK	BULK*			
			8-100 CKT	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TAPE-N-REEL W/ VAC CAPS	TUBES W/ VAC CAPS	TUBES	TUBES			
	DIM. M±0.25 MM		6.10 (.240)				6.10 (.240)				6.10 (.240)						
	PLATING		150 TIN				15 GOLD				30 GOLD						
I	DIM. H		2.54 (.100)				2.54 (.100)				2.54 (.100)						
H	CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	EDP NUMBER	CKTS		
		MM	IN	MM	IN												
	04	5.08	.200	2.54	.100	015-91-2040	015-91-6040	N/A	015-91-0040	015-91-6042	N/A	015-91-3040	015-91-6043	N/A	015-91-0048	015-91-5049	04
	06	7.62	.300	5.08	.200	015-91-2060	015-91-6060	N/A	015-91-0060	015-91-6062	N/A	015-91-3060	015-91-6063	N/A	015-91-0068	015-91-5069	06
G	08	10.16	.400	7.62	.300	015-91-2080	015-91-6080	015-91-3087	015-91-0080	015-91-6082	015-91-3086	015-91-3080	015-91-6083	015-91-3088	015-91-0088	015-91-5089	08
	10	12.70	.500	10.16	.400	015-91-2100	015-91-6100	015-91-3107	015-91-0100	015-91-6102	015-91-3106	015-91-3100	015-91-6103	015-91-3108	015-91-0108	015-91-5109	10
	12	15.24	.600	12.70	.500	015-91-2120	015-91-6120	015-91-3127	015-91-0120	015-91-6122	015-91-3126	015-91-3120	015-91-6123	015-91-3128	015-91-0128	015-91-5129	12
	14	17.78	.700	15.24	.600	015-91-2140	015-91-6140	015-91-3147	015-91-0140	015-91-6142	015-91-3146	015-91-3140	015-91-6143	015-91-3148	015-91-0148	015-91-5149	14
F	16	20.32	.800	17.78	.700	015-91-2160	015-91-6160	015-91-3167	015-91-0160	015-91-6162	015-91-3166	015-91-3160	015-91-6163	015-91-3168	015-91-0168	015-91-5169	16
	18	22.86	.900	20.32	.800	015-91-2180		015-91-3187	015-91-0180		015-91-3186	015-91-3180		015-91-3188	015-91-0188	015-91-5189	18
	20	25.40	1.000	22.86	.900	015-91-2200	015-91-6200	015-91-3207	015-91-0200	015-91-6202	015-91-3206	015-91-3200	015-91-6203	015-91-3208	015-91-0208	015-91-5209	20
	22	27.94	1.100	25.40	1.000	015-91-2220		015-91-3227	015-91-0220		015-91-3226	015-91-3220		015-91-3228	015-91-0228	015-91-5229	22
E	24	30.48	1.200	27.94	1.100	015-91-2240		015-91-3247	015-91-0240		015-91-3246	015-91-3240		015-91-3248	015-91-0248	015-91-5249	24
	26	33.02	1.300	30.48	1.200	015-91-2260	015-91-6260	015-91-3267	015-91-0260	015-91-6262	015-91-3266	015-91-3260		015-91-3268	015-91-0268	015-91-5269	26
	28	35.56	1.400	33.02	1.300	015-91-2280		015-91-3287	015-91-0280		015-91-3286	015-91-3280		015-91-3288	015-91-0288	015-91-5289	28
	30	38.10	1.500	35.56	1.400	015-91-2300		015-91-3307	015-91-0300		015-91-3306	015-91-3300		015-91-3308	015-91-0308	015-91-5309	30
D	32	40.64	1.600	38.10	1.500	015-91-2320		015-91-3327	015-91-0320		015-91-3326	015-91-3320		015-91-3328	015-91-0328	015-91-5329	32
	34	43.18	1.700	40.64	1.600	015-91-2340		015-91-3347	015-91-0340		015-91-3346	015-91-3340		015-91-3348	015-91-0348	015-91-5349	34
	36	45.72	1.800	43.18	1.700	015-91-2360		015-91-3367	015-91-0360		015-91-3366	015-91-3360		015-91-3368	015-91-0368	015-91-5369	36
	38	48.26	1.900	45.72	1.800	015-91-2380		015-91-3387	015-91-0380		015-91-3386	015-91-3380		015-91-3388	015-91-0388	015-91-5389	38
C	40	50.80	2.000	48.26	1.900	015-91-2400		015-91-3407	015-91-0400	015-91-6402	015-91-3406	015-91-3400	015-91-6403	015-91-3408	015-91-0408	015-91-5409	40
	42	53.34	2.100	50.80	2.000	015-91-2420		015-91-3427	015-91-0420		015-91-3426	015-91-3420		015-91-3428	015-91-0428	015-91-5429	42
	44	55.88	2.200	53.34	2.100	015-91-2440		015-91-3447	015-91-0440		015-91-3446	015-91-3440		015-91-3448	015-91-0448	015-91-5449	44
	46	58.42	2.300	55.88	2.200	015-91-2460		015-91-3467	015-91-0460		015-91-3466	015-91-3460		015-91-3468	015-91-0468	015-91-5469	46
B	48	60.96	2.400	58.42	2.300	015-91-2480		015-91-3487	015-91-0480		015-91-3486	015-91-3480		015-91-3488	015-91-0488	015-91-5489	48
	50	63.50	2.500	60.96	2.400	015-91-2500	015-91-6500	015-91-3507	015-91-0500	015-91-6502	015-91-3506	015-91-3500	015-91-6503	015-91-3508	015-91-0508	015-91-5509	50
	52	66.04	2.600	63.50	2.500	015-91-2520		015-91-3527	015-91-0520		015-91-3526	015-91-3520		015-91-3528	015-91-0528	015-91-5529	52
	54	68.58	2.700	66.04	2.600	015-91-2540		015-91-3547	015-91-0540		015-91-3546	015-91-3540		015-91-3548	015-91-0548	015-91-5549	54
A	56	71.12	2.800	68.58	2.700	015-91-2560		015-91-3567	015-91-0560		015-91-3566	015-91-3560		015-91-3568	015-91-0568	015-91-5569	56
	58	73.66	2.900	71.12	2.800	015-91-2580		015-91-3587	015-91-0580		015-91-3586	015-91-3580		015-91-3588	015-91-0588	015-91-5589	58
	60	76.20	3.000	73.66	2.900	015-91-2600		015-91-3607	015-91-0600		015-91-3606	015-91-3600		015-91-3608	015-91-0608	015-91-5609	60
	62	78.74	3.100	76.20	3.000	015-91-2620		015-91-3627	015-91-0620		015-91-3626	015-91-3620		015-91-3628	015-91-0628	015-91-5629	62
Z	64	81.28	3.200	78.74	3.100	015-91-2640		015-91-3647	015-91-0640		015-91-3646	015-91-3640		015-91-3648	015-91-0648	015-91-5649	64
	66	83.82	3.300	81.28	3.200	015-91-2660		015-91-3667	015-91-0660		015-91-3666	015-91-3660		015-91-3668	015-91-0668	015-91-5669	66
	68	86.36	3.400	83.82	3.300	015-91-2680		015-91-3687	015-91-0680		015-91-3686	015-91-3680		015-91-3688	015-91-0688	015-91-5689	68
	70	88.90	3.500	86.36	3.400	015-91-2700		015-91-3707	015-91-0700		015-91-3706	015-91-3700		015-91-3708	015-91-0708	015-91-5709	70
Y	72	91.44	3.600	88.90	3.500	015-91-2720		015-91-3727	015-91-0720		015-91-3726	015-91-3720		015-91-3728	015-91-0728	015-91-5729	72
	74	93.98	3.700	91.44	3.600	015-91-2740		015-91-3747	015-91-0740		015-91-3746	015-91-3740		015-91-3748	015-91-0748	015-91-5749	74
	76	96.52	3.800	93.98	3.700	015-91-2760		015-91-3767	015-91-0760		015-91-3766	015-91-3760		015-91-3768	015-91-0768	015-91-5769	76
	78	99.06	3.900	96.52	3.800	015-91-2780		015-91-3787	015-91-0780		015-91-3786	015-91-3780		015-91-3788	015-91-0788	015-91-5789	78
X	80	101.60	4.000	99.06	3.900	015-91-2800		015-91-3807	015-91-0800		015-91-3806	015-91-3800		015-91-3808	015-91-0808	015-91-5809	80
	82	104.14	4.100	101.60	4.000	71308-0082		71308-0282	71308-0182		71308-0582	71308-0282		71308-0682	71308-1182	71308-1282	82
	84	106.68	4.200	104.14	4.100	71308-0084		71308-0284	71308-0184		71308-0584	71308-0284		71308-0684	71308-1184	71308-1284	84
	86	109.22	4.300	106.68	4.200	71308-0086		71308-0286	71308-0186		71308-0586	71308-0286		71308-0686	71308-1186	71308-1286	86
W	88	111.76	4.400	109.22	4.300	71308-0088		71308-0288	71308-0188		71308-0588	71308-0288		71308-0688	71308-1188	71308-1288	88
	90	114.30	4.500	111.76	4.400	71308-0090		71308-0290	71308-0190		71308-0590	71308-0290		71308-0690	71308-1190	71308-1290	90
	92	116.84	4.600	114.30	4.500	71308-0092		71308-0292	71308-0192		71308-0592	71308-0292		71308-0692	71308-1192	71308-1292	92
	94	119.38	4.700	116.84	4.600	71308-0094		71308-0294	71308-0194		71308-0594	71308-0294		71308-0694	71308-1194	71308-1294	94
V	96	121.92	4.800	119.38	4.700	71308-0096		71308-0296	71308-0196		71308-0596	71308-0296		71308-0696	71308-1196	71308-1296	96
	98	124.46	4.900	121.92	4.800	71308-0098		71308-0298	71308-0198		71308-0598	71308-0298		71308-0698	71308-1198	71308-1298	98
	100	127.00	5.000	124.46	4.900	71308-0101		71308-0500	71308-0200		71308-0600	71308-0300		71308-0700	71308-1200	71308-1300	100
U	NO PEG VERSION (SEE ALSO SHEET 3)																
	SEE SHEET 1 EC NO: UC2014-4901 DRAWN BY: KIPER CHKD BY: SMITH APPROV: SMITH K8																
	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0																
	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±.005 ±.005 3 PLACES ±.010 ±.010 2 PLACES ±.013 ±.010 1 PLACE ±.025 ±.010 0 PLACE ±.025 ±.010																
T	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																
	DIMENSION STYLE MM/IN DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE																
	SCALE INCH DESIGN UNITS INCH																
	THIRD ANGLE PROJECTION																
S	SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULL WING .100																
	molex																
	MATERIAL NO. DOCUMENT NO. SD-71308-001																
	SHEET NO. 2 OF 6																

ib_frame_C.P.A.M.T
Rev. G 2012/01/11

12

11

10

9

8

7

6

5

4

3

2

1

PACKAGING SEE NOTE 4. SHT 1					4-8 CKT	TAPE-N-REEL W/ VAC CAPS	TAPE-N-REEL W/ VAC CAPS	IN TAPE AND REEL WITH SHALLOW POCKET TAPE				BULK / IN TUBES			
					10-100 CKT	TAPE-N-REEL W/ VAC CAPS	TAPE-N-REEL W/ VAC CAPS					BULK		BULK	
DIM. M±0.25 MM						6.10 (.240)	6.10 (.240)					8.13 (.320)		13.59 (.535)	
PLATING						30 GOLD	15 GOLD					150 TIN		150 TIN	
DIM. H						2.54 (.100)	2.54 (.100)					4.57 (.180)		4.57 (.180)	
CKTS	DIM. A		DIM. B		EDP NUMBER	EDP NUMBER						EDP NUMBER	EDP NUMBER	CKTS	
	MM	IN	MM	IN											
04	5.08	.200	2.54	.100										04	
06	7.62	.300	5.08	.200		015-91-6068								06	
08	10.16	.400	7.62	.300		015-91-6088								08	
10	12.70	.500	10.16	.400		015-91-6108						713088010	71308-8210	10	
12	15.24	.600	12.70	.500										12	
14	17.78	.700	15.24	.600	015-91-6148									14	
16	20.32	.800	17.78	.700								713088016		16	
18	22.86	.900	20.32	.800										18	
20	25.40	1.000	22.86	.900										20	
22	27.94	1.100	25.40	1.000										22	
24	30.48	1.200	27.94	1.100										24	
26	33.02	1.300	30.48	1.200										26	
28	35.56	1.400	33.02	1.300										28	
30	38.10	1.500	35.56	1.400										30	
32	40.64	1.600	38.10	1.500										32	
34	43.18	1.700	40.64	1.600										34	
36	45.72	1.800	43.18	1.700										36	
38	48.26	1.900	45.72	1.800										38	
40	50.80	2.000	48.26	1.900										40	
42	53.34	2.100	50.80	2.000										42	
44	55.88	2.200	53.34	2.100										44	
46	58.42	2.300	55.88	2.200										46	
48	60.96	2.400	58.42	2.300										48	
50	63.50	2.500	60.96	2.400										50	
52	66.04	2.600	63.50	2.500										52	
54	68.58	2.700	66.04	2.600										54	
56	71.12	2.800	68.58	2.700										56	
58	73.66	2.900	71.12	2.800										58	
60	76.20	3.000	73.66	2.900										60	
62	78.74	3.100	76.20	3.000										62	
64	81.28	3.200	78.74	3.100										64	
66	83.82	3.300	81.28	3.200										66	
68	86.36	3.400	83.82	3.300										68	
70	88.90	3.500	86.36	3.400										70	
72	91.44	3.600	88.90	3.500										72	
74	93.98	3.700	91.44	3.600										74	
76	96.52	3.800	93.98	3.700										76	
78	99.06	3.900	96.52	3.800										78	
80	101.60	4.000	99.06	3.900										80	
82	104.14	4.100	101.60	4.000										82	
84	106.68	4.200	104.14	4.100										84	
86	109.22	4.300	106.68	4.200										86	
88	111.76	4.400	109.22	4.300										88	
90	114.30	4.500	111.76	4.400										90	
92	116.84	4.600	114.30	4.500										92	
94	119.38	4.700	116.84	4.600										94	
96	121.92	4.800	119.38	4.700										96	
98	124.46	4.900	121.92	4.800										98	
100	127.00	5.000	124.46	4.900										100	


SEE SHEET 1 EC NO. UCP2014-4901 DRAWN BY: CHKANGKIPER CHKANGKIPER 2015/08/12 2015/08/12 APPR: FSH1TH 2015/09/10	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±.005</td><td>±.005</td></tr><tr><td>3 PLACES</td><td>±.010</td><td>±.010</td></tr><tr><td>2 PLACES</td><td>±.025</td><td>±.025</td></tr><tr><td>1 PLACE</td><td>±.050</td><td>±.050</td></tr><tr><td>0 PLACE</td><td>±.100</td><td>±.100</td></tr></table>		mm	INCH	4 PLACES	±.005	±.005	3 PLACES	±.010	±.010	2 PLACES	±.025	±.025	1 PLACE	±.050	±.050	0 PLACE	±.100	±.100	DIMENSION STYLE MM/IN		SCALE	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
				mm	INCH																				
			4 PLACES	±.005	±.005																				
			3 PLACES	±.010	±.010																				
			2 PLACES	±.025	±.025																				
1 PLACE	±.050	±.050																							
0 PLACE	±.100	±.100																							
DRAWN BY KMS		DATE 1999/10/15	TITLE SALES ASSY INSULATOR DUAL ROW SMT W/BREAK-OFF .025SQ PIN GULLWING .100																						
CHECKED BY KMS		DATE 1999/10/15	APPROVED BY KMS																						
MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-71308-001	SHEET NO. 3 OF 6																						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									

NO PEG VERSION
(ALSO SEE SHEET 2)

1b_frame_C_P_AM.T Rev. G 2012/01/11	12	11	10	9	8	7	6	5	4	3	2	1
--	----	----	----	---	---	---	---	---	---	---	---	---

lb_frame_C_P_AM
Rev. G 2012/01/11

SHORT PEG VERSION (.055")



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0015912160 - CONN HEADER 16POS .100" VERT TIN

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

										PEG-OPTION																											
										NO PEG VERSION						NO PEG VERSION			LONG PEG VERSION (.130")			SHORT PEG VERSION (.055")															
PACKAGING SEE NOTE 4, SHT 1										4-6 CKT			BULK			TAPE-N-REEL W/VAC CAPS			BULK			BULK			BULK			TAPE-N-REEL W/ VAC CAPS									
										8-100 CKT			TUBES			TAPE-N-REEL W/VAC CAPS			TUBES			TUBES			BULK			TAPE-N-REEL W/ VAC CAPS									
DIM. M0.25 MM													6.10 (.240)						8.13(.320)			13.59(.535)			6.10(.240)			8.13(.320)			6.10 (.240)						
PLATING													59 TIN						59 TIN			59 TIN			59 TIN			59 TIN			59 TIN						
DIM. H													2.54(.100)						4.57(.180)			4.57(.180)			2.54(.100)			4.57(.180)			2.54(.100)						
CKTS										DIM. A		DIM. B		DIM. C		EDP NUMBER		EDP NUMBER		EDP NUMBER				EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		EDP NUMBER		CKTS			
										MM		IN		MM		MM		IN																			
04										5.08		.200		2.54		.100		---		---		71308-5404		71308-5504		N/A				71308-6404		71308-6504		71308-6604		04	
06										7.62		.300		5.08		.200		2.54		.100		71308-5406		71308-5506		N/A				71308-6406		71308-6506		71308-6606		06	
08										10.16		.400		7.62		.300		5.08		.200		71308-5408		71308-5508		71308-5608				71308-6408		71308-6508		71308-6608		08	
10										12.70		.500		10.16		.400		7.62		.300		71308-5410		71308-5510		71308-5610				71308-6410		71308-6510		71308-6610		10	
12										15.24		.600		12.70		.500		10.16		.400		71308-5412		71308-5512		71308-5612				71308-6412				71308-6612		12	
14										17.78		.700		15.24		.600		12.70		.500		71308-5414		71308-5514		71308-5614				71308-6414		71308-6514		71308-6614		14	
16										20.32		.800		17.78		.700		15.24		.600		71308-5416		71308-5516		71308-5616				71308-6416		71308-6516		71308-6616		16	
18										22.86		.900		20.32		.800		17.78		.700		71308-5418				71308-5618				71308-6418				71308-6618		18	
20										25.40		1.000		22.86		.900		20.32		.800		71308-5420		71308-5520		71308-5620				71308-6420				71308-6620		20	
22										27.94		1.100		25.40		1.000		22.86		.900		71308-5422				71308-5622				71308-6422				71308-6622		22	
24										30.48		1.200		27.94		1.100		25.40		1.000		71308-5424				71308-5624				71308-6424				71308-6624		24	
26										33.02		1.300		30.48		1.200		27.94		1.100		71308-5426				71308-5626				71308-6426				71308-6626		26	
28										35.56		1.400		33.02		1.300		30.48		1.200		71308-5428				71308-5628				71308-6428				71308-6628		28	
30										38.10		1.500		35.56		1.400		33.02		1.300		71308-5430				71308-5630				71308-6430				71308-6630		30	
32										40.64		1.600		38.10		1.500		35.56		1.400		71308-5432				71308-5632				71308-6432				71308-6632		32	
34										43.18		1.700		40.64		1.600		38.10		1.500		71308-5434				71308-5634				71308-6434				71308-6634		34	
36										45.72		1.800		43.18		1.700		40.64		1.600		71308-5436				71308-5636				71308-6436				71308-6636		36	
38										48.26		1.900		45.72		1.800		43.18		1.700		71308-5438				71308-5638				71308-6438				71308-6638		38	
40										50.80		2.000		48.26		1.900		45.72		1.800		71308-5440		71308-5540		71308-5640				71308-6440				71308-6640		40	
42										53.34		2.100		50.80		2.000		48.26		1.900		71308-5442				71308-5642				71308-6442				71308-6642		42	
44										55.88		2.200		53.34		2.100		50.80		2.000		71308-5444				71308-5644				71308-6444				71308-6644		44	
46										58.42		2.300		55.88		2.200		53.34		2.100		71308-5446				71308-5646				71308-6446				71308-6646		46	
48										60.96		2.400		58.42		2.300		55.88		2.200		71308-5448				71308-5648				71308-6448				71308-6648		48	
50										63.50		2.500		60.96		2.400		58.42		2.300		71308-5450		71308-5550		71308-5650				71308-6450		71308-6550		71308-6650		50	
52										66.04		2.600		63.50		2.500		60.96		2.400		71308-5452				71308-5652				71308-6452				71308-6652		52	
54										68.58		2.700		66.04		2.600		63.50		2.500		71308-5454				71308-5654				71308-6454				71308-6654		54	
56										71.12		2.800		68.58		2.700		66.04		2.600		71308-5456				71308-5656				71308-6456				71308-6656		56	
58										73.66		2.900		71.12		2.800		68.58		2.700		71308-5458				71308-5658				71308-6458				71308-6658		58	
60										76.20		3.000		73.66		2.900		71.12		2.800		71308-5460				71308-5660				71308-6460				71308-6660		60	
62										78.74		3.100		76.20		3.000		73.66		2.900		71308-5462				71308-5662				71308-6462				71308-6662		62	
64										81.28		3.200		78.74		3.100		76.20		3.000		71308-5464				71308-5664				71308-6464				71308-6664		64	
66										83.82		3.300		81.28		3.200		78.74		3.100		71308-5466				71308-5666				71308-6466				71308-6666		66	
68										86.36		3.400		83.82		3.300		81.28		3.200		71308-5468				71308-5668				71308-6468				71308-6668		68	
70										88.90		3.500		86.36		3.400		83.82		3.300		71308-5470				71308-5670				71308-6470				71308-6670		70	
72										91.44		3.600		88.90		3.500		86.36		3.400		71308-5472				71308-5672				71308-6472				71308-6672		72	
74										93.98		3.700		91.44		3.600		88.90		3.500		71308-5474				71308-5674				71308-6474				71308-6674		74	
76										96.52		3.800		93.98		3.700		91.44		3.600		71308-5476				71308-5676				71308-6476				71308-6676		76	
78										99.06		3.900		96.52		3.800		93.98		3.700		71308-5478				71308-5678				71308-6478				71308-6678		78	
80										101.60		4.000		99.06		3.900		96.52		3.800		71308-5480				71308-5680				71308-6480				71308-6680		80	
82										104.14		4.100		101.60		4.000		99.06		3.900		71308-5482				71308-5682				71308-6482				71308-6682		82	
84										106.68		4.200		104.14		4.100		101.60		4.000		71308-5484				71308-5684				71308-6484				71308-6684		84	
86										109.22		4.300		106.68		4.200		104.14		4.100		71308-5486				71308-5686				71308-6486				71308-6686		86	
88										111.76		4.400		109.22		4.300		106.68		4.200		71308-5488				71308-5688				71308-6488				71308-6688		88	
90										114.30		4.500		111.76		4.400		109.22		4.300		71308-5490				71308-5690				71308-6490				71308-6690		90	
92										116.84		4.600		114.30		4.500		111.76		4.400		71308-5492				71308-5692				71308-6492				71308-6692		92	
94										119.38		4.700		116.84		4.600		114.30		4.500		71308-5494				71308-5694				71308-6494				71308-6694		94	
96										121.92		4.800		119.38		4.700		116.84		4.600		71308-5496				71308-5696				71308-6496				71308-6696		96	
98										124.46		4.900		121.92		4.800		119.38		4.700		71308-5498				71308-5698				71308-6498				71308-6698		98	
100										127.00		5.000		124.46		4.900		121.92		4.800		71308-5500				71308-5700				71308-6500				71308-6700		100	
59 TIN PLATE ASSEMBLIES																																					