

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[1853913](#)

For any questions, you can email us directly:
sales@integrated-circuit.com



Extract from the online catalog

VC-K-KV-PG21(11,5-15,5)

Order No.: 1853913

The illustration shows version Pg16



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853913>

Half screw connection Pg21, made of plastic, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 11.5 - 15.5

Commercial data	
EAN	4017918145972
Pack	5 pcs.
Customs tariff	39269097
Weight/Piece	0.0157 KG
Catalog page information	Page 373 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
11/30/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General characteristics	
Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Degree of protection	IP67
Type of the screw connection	Half screw connection

VC-K-KV-PG21(11,5-15,5) Order No.: 1853913
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853913>

Seal material	TPE
Ambient temperature (operation)	-40 °C ... 80 °C

Certificates / Approvals



Certification GOST

Accessories

Item	Designation	Description
------	-------------	-------------

Assembly

1885363	VC-K-KV-PG21-O	Half screw connection made of plastic with rubber seal without hole or for individual holes
---------	----------------	---

VC-K-KV-PG21(11,5-15,5) Order No.: 1853913

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853913>

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;