

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0901220137](#)

For any questions, you can email us directly:


sales@integrated-circuit.com

fb_frame_A3_P_AM_T
Rev. F 2009/06/18



	10	9	8	7	6	5	4	3	2	1	
F		CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.						
		2 X 1	90122-0121	90122-0761	90122-0921						
		2 X 2	↑ -0122	↑ -0762	↑ -0922						
		2 X 3	-0123	-0763	-0923						
		2 X 4	-0124	-0764	-0924						
		2 X 5	-0125	-0765	-0925						
		2 X 6	-0126	-0766	-0926						
		2 X 7	-0127	-0767	-0927						
		2 X 8	-0128	-0768	-0928						
		2 X 9	-0129	-0769	-0929						
E		2 X 10	-0130	-0770	-0930						
		2 X 11	-0131	-0771	-0931						
		2 X 12	-0132	-0772	-0932						
		2 X 13	-0133	-0773	-0933						
		2 X 14	-0134	-0774	-0934						
		2 X 15	-0135	-0775	-0935						
		2 X 16	-0136	-0776	-0936						
		2 X 17	-0137	-0777	-0937						
		2 X 18	-0138	-0778	-0938						
		2 X 19	-0139	-0779	-0939						
D		2 X 20	-0140	-0780	-0940						
		2 X 21	-0141	-0781	-0941						
		2 X 22	-0142	-0782	-0942						
		2 X 23	-0143	-0783	-0943						
		2 X 24	-0144	-0784	-0944						
		2 X 25	-0145	-0785	-0945						
		2 X 26	-0146	-0786	-0946						
		2 X 27	-0147	-0787	-0947						
		2 X 28	-0148	-0788	-0948						
		2 X 29	-0149	-0789	-0949						
C		2 X 30	-0150	-0790	-0950						
		2 X 31	-0151	-0791	-0951						
		2 X 32	-0152	-0792	-0952						
		2 X 33	-0153	-0793	-0953						
		2 X 34	-0154	-0794	-0954						
		2 X 35	-0155	-0795	-0955						
		2 X 36	-0156	-0796	-0956						
		2 X 37	-0157	-0797	-0957						
		2 X 38	-0158	-0798	-0958						
B		2 X 39	↓ -0159	↓ -0799	↓ -0959						
		2 X 40	90122-0160	90122-0800	90122-0960						
		DIM C (±0.20) ±.008 (6.75) .266									
		DIM D (±0.25) ±.010 (2.90) .114									
		NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.									
A			REVISE PIN DIM EC NO. S2012-0325 2011/10/27 DRAWN:SKAG CHKD:ATSEE 2011/10/31 APPR:MLONG	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.05 ± .002 1 PLACE ± --- ± --- ANGULAR ± ---°	DIMENSION STYLE MM ONLY DRAWN BY DATE DB 16/07/87 CHECKED BY DATE DB 1987/07/16 APPROVED BY DATE DB 1987/07/16	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			M2	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE MATERIAL NO. SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		C-GRID III DUAL ROW RIGHT ANGLE HEADER MOLEX INCORPORATED	SHEET NO. 2 OF 6	
	tb_frame_A3_P_AM.T Rev. F 2009/06/18	9	8	7	6	5	4	3	2	1	

	10	9	8	7	6	5	4	3	2	1		
F		CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.		CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.	F	
		2 X 1	90122-0041	90122-0681	90122-0841		2 X 1	90122-0081	90122-0721	90122-0881		
		2 X 2	↑ -0042	↑ -0682	↑ -0842		2 X 2	↑ -0082	↑ -0722	↑ -0882		
		2 X 3	-0043	-0683	-0843		2 X 3	-0083	-0723	-0883		
		2 X 4	-0044	-0684	-0844		2 X 4	-0084	-0724	-0884		
		2 X 5	-0045	-0685	-0845		2 X 5	-0085	-0725	-0885		
		2 X 6	-0046	-0686	-0846		2 X 6	-0086	-0726	-0886		
		2 X 7	-0047	-0687	-0847		2 X 7	-0087	-0727	-0887		
		2 X 8	-0048	-0688	-0848		2 X 8	-0088	-0728	-0888		
		2 X 9	-0049	-0689	-0849		2 X 9	-0089	-0729	-0889		
E	DIM C (±0.20) ±.008 (5.75) .226	2 X 10	-0050	-0690	-0850		DIM C (±0.20) ±.008 (5.75) .226	2 X 10	-0090	-0730	-0890	E
		2 X 11	-0051	-0691	-0851			2 X 11	-0091	-0731	-0891	
		2 X 12	-0052	-0692	-0852			2 X 12	-0092	-0732	-0892	
		2 X 13	-0053	-0693	-0853			2 X 13	-0093	-0733	-0893	
		2 X 14	-0054	-0694	-0854			2 X 14	-0094	-0734	-0894	
		2 X 15	-0055	-0695	-0855			2 X 15	-0095	-0735	-0895	
		2 X 16	-0056	-0696	-0856			2 X 16	-0096	-0736	-0896	
		2 X 17	-0057	-0697	-0857			2 X 17	-0097	-0737	-0897	
		2 X 18	-0058	-0698	-0858			2 X 18	-0098	-0738	-0898	
		2 X 19	-0059	-0699	-0859			2 X 19	-0099	-0739	-0899	
D	DIM D (±0.25) ±.010 (2.90) .114	2 X 20	-0060	-0700	-0860		DIM D (±0.25) ±.010 (4.50) .177	2 X 20	-0100	-0740	-0900	D
		2 X 21	-0061	-0701	-0861			2 X 21	-0101	-0741	-0901	
		2 X 22	-0062	-0702	-0862			2 X 22	-0102	-0742	-0902	
		2 X 23	-0063	-0703	-0863			2 X 23	-0103	-0743	-0903	
		2 X 24	-0064	-0704	-0864			2 X 24	-0104	-0744	-0904	
		2 X 25	-0065	-0705	-0865			2 X 25	-0105	-0745	-0905	
		2 X 26	-0066	-0706	-0866			2 X 26	-0106	-0746	-0906	
		2 X 27	-0067	-0707	-0867			2 X 27	-0107	-0747	-0907	
		2 X 28	-0068	-0708	-0868			2 X 28	-0108	-0748	-0908	
C		2 X 29	-0069	-0709	-0869			2 X 29	-0109	-0749	-0909	C
		2 X 30	-0070	-0710	-0870			2 X 30	-0110	-0750	-0910	
		2 X 31	-0071	-0711	-0871			2 X 31	-0111	-0751	-0911	
		2 X 32	-0072	-0712	-0872			2 X 32	-0112	-0752	-0912	
		2 X 33	-0073	-0713	-0873			2 X 33	-0113	-0753	-0913	
		2 X 34	-0074	-0714	-0874			2 X 34	-0114	-0754	-0914	
		2 X 35	-0075	-0715	-0875			2 X 35	-0115	-0755	-0915	
		2 X 36	-0076	-0716	-0876			2 X 36	-0116	-0756	-0916	
		2 X 37	-0077	-0717	-0877			2 X 37	-0117	-0757	-0917	
		2 X 38	-0078	-0718	-0878			2 X 38	-0118	-0758	-0918	
B		2 X 39	↓ -0079	↓ -0719	↓ -0879			2 X 39	↓ -0119	↓ -0759	↓ -0919	B
		2 X 40	90122-0080	90122-0720	90122-0880			2 X 40	90122-0120	90122-0760	90122-0920	
	NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.											
A											A	



tb_frame_A3_P_AM_T
Rev. F 2009/06/18

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

	10	9	8	7	6	5	4	3	2	1													
F		CIRCUIT SIZE	PLATING TYPE B PART NO.	PLATING TYPE C PART NO.	PLATING TYPE D PART NO.	PLATING TYPE G PART NO.	CIRCUIT SIZE	PLATING TYPE B PART NO.	PLATING TYPE C PART NO.	PLATING TYPE D PART NO.	PLATING TYPE G PART NO.	F											
		2 X 1	90122-0241	90122-0401	90122-0561	90122-1041	2 X 1	90122-0321	90122-0481	90122-0641	90122-1121												
		2 X 2	↑ -0242	↑ -0402	↑ -0562	↑ -1042	2 X 2	↑ -0322	↑ -0482	↑ -0642	↑ -1122												
		2 X 3	-0243	-0403	-0563	-1043	2 X 3	-0323	-0483	-0643	-1123												
		2 X 4	-0244	-0404	-0564	-1044	2 X 4	-0324	-0484	-0644	-1124												
		2 X 5	-0245	-0405	-0565	-1045	2 X 5	-0325	-0485	-0645	-1125												
		2 X 6	-0246	-0406	-0566	-1046	2 X 6	-0326	-0486	-0646	-1126												
		2 X 7	-0247	-0407	-0567	-1047	2 X 7	-0327	-0487	-0647	-1127												
		2 X 8	-0248	-0408	-0568	-1048	2 X 8	-0328	-0488	-0648	-1128												
		2 X 9	-0249	-0409	-0569	-1049	2 X 9	-0329	-0489	-0649	-1129												
E		2 X 10	-0250	-0410	-0570	-1050	2 X 10	-0330	-0490	-0650	-1130												
		2 X 11	-0251	-0411	-0571	-1051	2 X 11	-0331	-0491	-0651	-1131	E											
	DIM C (±0.20) ±.008 (5.75) .226	2 X 12	-0252	-0412	-0572	-1052	2 X 12	-0332	-0492	-0652	-1132												
		2 X 13	-0253	-0413	-0573	-1053	2 X 13	-0333	-0493	-0653	-1133												
		2 X 14	-0254	-0414	-0574	-1054	2 X 14	-0334	-0494	-0654	-1134												
		2 X 15	-0255	-0415	-0575	-1055	2 X 15	-0335	-0495	-0655	-1135												
		2 X 16	-0256	-0416	-0576	-1056	2 X 16	-0336	-0496	-0656	-1136												
		2 X 17	-0257	-0417	-0577	-1057	2 X 17	-0337	-0497	-0657	-1137												
		2 X 18	-0258	-0418	-0578	-1058	2 X 18	-0338	-0498	-0658	-1138												
		2 X 19	-0259	-0419	-0579	-1059	2 X 19	-0339	-0499	-0659	-1139												
D		2 X 20	-0260	-0420	-0580	-1060	2 X 20	-0340	-0500	-0660	-1140	D											
		2 X 21	-0261	-0421	-0581	-1061	2 X 21	-0341	-0501	-0661	-1141												
		2 X 22	-0262	-0422	-0582	-1062	2 X 22	-0342	-0502	-0662	-1142												
		2 X 23	-0263	-0423	-0583	-1063	2 X 23	-0343	-0503	-0663	-1143												
	DIM D (±0.25) ±.010 (4.50) .177	2 X 24	-0264	-0424	-0584	-1064	2 X 24	-0344	-0504	-0664	-1144												
		2 X 25	-0265	-0425	-0585	-1065	2 X 25	-0345	-0505	-0665	-1145												
		2 X 26	-0266	-0426	-0586	-1066	2 X 26	-0346	-0506	-0666	-1146												
		2 X 27	-0267	-0427	-0587	-1067	2 X 27	-0347	-0507	-0667	-1147												
		2 X 28	-0268	-0428	-0588	-1068	2 X 28	-0348	-0508	-0668	-1148												
C		2 X 29	-0269	-0429	-0589	-1069	2 X 29	-0349	-0509	-0669	-1149	C											
		2 X 30	-0270	-0430	-0590	-1070	2 X 30	-0350	-0510	-0670	-1150												
		2 X 31	-0271	-0431	-0591	-1071	2 X 31	-0351	-0511	-0671	-1151												
		2 X 32	-0272	-0432	-0592	-1072	2 X 32	-0352	-0512	-0672	-1152												
		2 X 33	-0273	-0433	-0593	-1073	2 X 33	-0353	-0513	-0673	-1153												
		2 X 34	-0274	-0434	-0594	-1074	2 X 34	-0354	-0514	-0674	-1154												
		2 X 35	-0275	-0435	-0595	-1075	2 X 35	-0355	-0515	-0675	-1155												
		2 X 36	-0276	-0436	-0596	-1076	2 X 36	-0356	-0516	-0676	-1156												
		2 X 37	-0277	-0437	-0597	-1077	2 X 37	-0357	-0517	-0677	-1157												
		2 X 38	-0278	-0438	-0598	-1078	2 X 38	-0358	-0518	-0678	-1158												
B		2 X 39	↓ -0279	↓ -0439	↓ -0599	↓ -1079	2 X 39	↓ -0359	↓ -0519	↓ -0679	↓ -1159	B											
		2 X 40	90122-0280	90122-0440	90122-0600	90122-1080	2 X 40	90122-0360	90122-0520	90122-0680	90122-1160												
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003. REVISE PIN DIM EC NO. S2012-0325 DRAWN:SKAG CHKD:ATSEE APPROV:JUNG 2011/10/27 2011/10/31 2011/10/31 QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 DESCRIPTION M2 REV GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.05 ±.002 1 PLACE ±--- ±--- ANGULAR ±---° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE MATERIAL NO. DOCUMENT NO. SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION C-GRID III DUAL ROW RIGHT ANGLE HEADER MOLEX INCORPORATED SHEET NO. 6 OF 6 <tr><td>ib_frame_A3_P_AM.T Rev. F 2009/06/16</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td></td><td></td></tr>												ib_frame_A3_P_AM.T Rev. F 2009/06/16	9	8	7	6	5	4	3	2	1		
ib_frame_A3_P_AM.T Rev. F 2009/06/16	9	8	7	6	5	4	3	2	1														