

## Excellent Integrated System Limited

Stocking Distributor



Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[35363-1260](#)


For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

10 9 8 7 6 5 4 3 2 1



**LEAD FREE**






**LEGEND**

SD-35363-\*\*\* 6 \* COLOR

- 0 : NATURAL
- 1 : BLACK
- 2 : RED
- 3 : YELLOW
- 4 : BLUE
- 5 : GREEN

LEAD FREE



32.3	31.3	28	156*	- 156*	15
30.3	29.3	26	146*	- 146*	14
28.3	27.3	24	136*	- 136*	13
26.3	25.3	22	126*	- 126*	12
24.3	23.3	20	116*	- 116*	11
22.3	21.3	18	106*	- 106*	10
20.3	19.3	16	096*	- 096*	9
18.3	17.3	14	086*	- 086*	8
16.3	15.3	12	076*	- 076*	7
14.3	13.3	10	066*	- 066*	6
12.3	11.3	8	056*	- 056*	5
10.3	9.3	6	35363046*	35363-046*	4
(C)	(B)	A	MATERIAL NO.	ENG. NO.	CKT

- NOTES**
- MATERIAL : WAFER - UNFILLED POLYAMIDE, UL94V-0  
PIN - BRASS
  - FINISHES : PIN - Tin(Sn) 1 ~ 3 MICROMETER OVERALL
  - PRODUCT SPECIFICATION : PS-35507-003
  - MATES WITH : HOUSING - 35507-\*\*\*0\*  
TERMINAL - 50212-8000








KINK	CKT NO	1	2	3	4	5	N-2	N-1	N
6 CKT OVER	-	A	B	-	-	B	A	-	-
5 CKT	A	B	-	B	A				
4 CKT	A	B	B	A					

30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	

<b>REVISED</b> EC NO: KOR2015-0019 DRW:YKIM01 2014/08/25 CHK:KSKIM 2014/08/26 APPR:YSKIM02 2014/09/03	<b>DESCRIPTION</b> QUALITY SYMBOLS ∇=0 ∇=0 ∇=0 ∇=0 ANGULAR ±---° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b> mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±--- ±--- 1 PLACE ±--- ±--- 0 PLACE ± ±		<b>DIMENSION STYLE</b> MM ONLY DRAWN BY YSOKIM DATE 1996/09/11 CHECKED BY JKOH DATE 1996/09/11 APPROVED BY DATE		SCALE 5:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	<b>TITLE</b> 2.0 W/B WAFER R/A ASSY -LEAD FREE- <b>molex</b> MATERIAL NO. SEE TABLE DOCUMENT NO. SD-35363-002 SHEET NO. 1 OF 1
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9 8 7 6 5 4 3 2 1

FOR 2 & 3 CKTS. LEAD FREE



**LEGEND**

SD-35363-\*\*\* 6 ± COLOR

- 0 : NATURAL
- 1 : BLACK
- 2 : RED
- 3 : YELLOW
- 4 : BLUE
- 5 : GREEN

- NOTES**
1. MATERIAL : WAFER - UNFILLED POLYAMIDE, UL94V-0  
PIN - BRASS
  2. FINISHES : PIN - Tin(Sn) 1 ~ 3 MICROMETER OVERALL
  3. PRODUCT SPECIFICATION : PS-35507-003
  4. MATES WITH : HOUSING - 35507-\*\*\*0\*  
TERMINAL - 50212-8000
  5. KINK

CKT	CKT NO	1	2	3
2 CKT	NONE	KINK		
3 CKT	A	B	A	

30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	

REVISED	EC NO. KOR2015-0019	2014/08/25
D	DRW:KTK1M01	2014/08/26
	CHK:KSK1M	2014/09/02
	APP:YSK1M02	2014/09/02






QUALITY SYMBOLS	DESCRIPTION
▽=0	
▽=0	
▽=0	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	±--- ±---
3 PLACES	±--- ±---
2 PLACES	±--- ±---
1 PLACE	±--- ±---
0 PLACE	± ±
ANGULAR ±---°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

9.7	8.3	7.3	4	35363036*	35363-036*	3
7.7	6.3	5.3	2	35363026*	35363-026*	2
(D)	(C)	(B)	A	MATERIAL NO.	ENG. NO.	CKT

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM ONLY		5:1	METRIC	☉
DRAWN BY YS00KIM		DATE 1996/09/11	TITLE 2.0 W/B WAFER R/A ASSY -LEAD FREE-	
CHECKED BY JKOH		DATE 1996/09/11		
APPROVED BY		DATE		
MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-35363-002	SHEET NO. 1 OF 1	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				


LEAD FREE



**LEGEND**

SD-35363-\*\*-\*\* 6 \* COLOR

- 0 : NATURAL
- 1 : BLACK
- 2 : RED
- 3 : YELLOW
- 4 : BLUE
- 5 : GREEN



**NOTES**

1. MATERIAL : WAFER - UNFILLED POLYAMIDE, UL94V-0  
PIN - BRASS
2. FINISHES : PIN - Tin(Sn) 1 ~ 3 MICROMETER OVERALL
3. PRODUCT SPECIFICATION : PS-35507-003
4. MATES WITH : HOUSING - 35507-\*\*-0\*  
TERMINAL - 50212-8000
5. KINK

CKT NO	1	2	3	4	N-3	N-2	N-1	N
20	-	A	B	-	-	B	A	-

30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	

REV	DESCRIPTION	DATE
REVISD	EC NO: KOR2015-0019	2014/08/25
D	DRWN:KIM	2014/08/26
	CHK:KSKIM	2014/08/26
	APPR:YSKIMJZ	2014/09/03

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
▽=0	4 PLACES ±---	±---
▽=0	3 PLACES ±---	±---
▽=0	2 PLACES ±---	±---
▽=0	1 PLACE ±---	±---
▽=0	0 PLACE ±	±
	ANGULAR ±---°	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

42.3	41.3	38	35363206*	35363-206*	20
(C)	(B)	A	MATERIAL NO.	ENG. NO.	CKT
DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
MM ONLY		5:1	METRIC		
DRAWN BY			DATE	TITLE	
YSOOKIM			1998/04/23	2.0 W/B WAFER R/A ASS'Y	
CHECKED BY			DATE	-LEAD FREE-	
JKOH			1998/04/23		
APPROVED BY			DATE		
MATERIAL NO.			DOCUMENT NO.	SHEET NO.	
SEE TABLE			SD-35363-002	1 OF 1	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					