

Excellent Integrated System Limited


Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[75005-0304](#)

For any questions, you can email us directly:

sales@integrated-circuit.com






COMPONENT SIDE SHOWN
RECOMMENDED PCB THICKNESS: 157mm

FOR 12 CIRCUIT OPTION

FOR DIMENSIONS NOT SHOWN REFER TO
THE 24-72 CIRCUIT PCB LAYOUT.



COMPONENT SIDE SHOWN
RECOMMENDED PCB THICKNESS: 1.57mm
FOR CIRCUIT SIZES FROM 24-72 CIRCUITS

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE COMMON TO BOTH VIEWS

NOTE:

1. NO FEATURES (INCLUDING SOLDER PASTE) WHICH RISE ABOVE THE PCB SURFACE ALLOWED IN THIS AREA.

ADD KEEP-OUT ZONES EC NO.: UCP2007-0343 DRWN: MSBARA 2006/10/25 CHKD: BARKER 2006/10/27 APPR: SWILLER 2006/10/27	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY
		 0.05  0.1	mm INCH	DIMENSION STYLE	TITLE	SALES DRAWING FOR HIGH SPEED MEZZANINE RECEPTACLE	
			4 PLACES ± 0.05 ± 0.002 3 PLACES ± 0.05 ± 0.002 2 PLACES ± 0.13 ± 0.005 1 PLACE ± 0.25 ± 0.010	DRAWN BY DATE			
			ANGULAR $\pm 1/2^\circ$ DRAFT WHERE APPLICABLE	CHECKED BY DATE			
			APPROVED BY DATE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
			MBANAKIS 2001/12/13	SEE CHART	SD-75005-001	2 OF 3	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

10 9 8 7 6 5 4 3 2 75005

NUMBER OF CIRCUITS	NUMBER OF DIFFERENTIAL PAIRS	MATERIAL NUMBER	A	B	C	D	E	F	PACKAGING SEE NOTE 7
12	6	750050304	22.23	7.02	4.50	3.52	13.27	7.25	TAPE AND REEL
12	6	750050306	22.30	7.02	6.50	3.52	13.27	9.25	TAPE AND REEL
12	6	NOT TOOLED	22.51	7.02	12.50	3.52	13.27	15.25	TAPE AND REEL
24	12	750050004	32.76	17.55	4.50	14.05	23.80	7.25	TAPE AND REEL
24	12	750050006	32.83	17.55	6.50	14.05	23.80	9.25	TAPE AND REEL
24	12	NOT TOOLED	33.04	17.55	12.50	14.05	23.80	15.25	TAPE AND REEL
24	12	75005-0014	33.04	17.55	14.50	14.04	23.80	17.25	TUBES
48	24	750050104	53.82	38.61	4.50	35.11	44.86	7.25	TAPE AND REEL
48	24	NOT TOOLED	54.10	38.61	12.50	35.11	44.86	15.25	TAPE AND REEL
48	24	75005-0114	54.10	38.61	14.50	35.11	44.86	17.25	TUBES
72	36	750050204	74.88	59.67	4.50	56.17	65.92	7.25	TAPE AND REEL
72	36	NOT TOOLED	75.16	59.67	12.50	56.17	65.92	15.25	TAPE AND REEL
72	36	750050214	75.16	59.67	14.50	56.17	65.92	17.25	TAPE AND REEL

UPDATE REV LEVEL EC NO: UCP2007-0343 DRWN:MSBARRA 2006/10/25 CHKD:BBARKER 2006/10/27 APPR:SHILLER 2006/10/30 H	QUALITY SYMBOLS ▴ 0 ▽ 0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SCALE 3:1 DESIGN UNITS METRIC DIMENSION STYLE MM ONLY DRAWN BY KSTILES DATE 10/24/2001 CHECKED BY KREGNIER DATE 10/25/2001 APPROVED BY MBANAKIS DATE 2001/12/13	THIRD ANGLE PROJECTION REVISE ON CAD ONLY TITLE SALES DRAWING FOR HIGH SPEED MEZZANINE RECEPTACLE MOLEX INCORPORATED MATERIAL NO. SEE CHART DOCUMENT NO. SD-75005-001 SHEET NO. 3 OF 3