

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Omron Automation & Safety](#)
[V720S-BC5D4A-US](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Omron V720 Series

ISO 15693

GLOBAL STANDARDS

HF Long Range Reader/Writer


Unmatched Performance
Highest Quality
RoHS Compliant



HF LONG RANGE
READER/
WRITER

Omron V720 Series

ISO 15693



Reader Specifications	
Model Number	V720S-BC5D4A-US
Frequency	13.56 MHz
Supported Protocol	ISO 15693
Operating Temperature	-10° to 50° C (14° to 122° F) with no icing
Protective Construction	IP60 (IEC 60529)
Power Supply Method	24V DC
Dimensions	247 x 84 x 128mm (9.98 x 3.36 x 5.12 inch)
Control Interface	RS232C or RS485
Input/Output Function	3 Inputs 4 Outputs
Antenna Specifications	
Model Number	V720-HS04
Maximum Input Power	4W
Input Impedance	50 Ohm
Operating Temperature	-10° to 50° C (14° to 122° F) with no icing
Protective Construction	IP 50 (IEC 60529)
Dimensions	334 x 407 x 35mm (13.36 x 16.28 x 1.4 inch)

Omron RFID Division

JAPAN

1-11-1 Osaki,
Gate City Osaki West 14F
Shinagawa-ku,
Tokyo 141-0032 Japan
Phone: +81-3-5435-2016
Fax: +81-3-5435-2017

NORTH AMERICA

1920 Thoreau Drive
Suite 165
Schaumburg, IL 60173 USA
Phone: 888-303-RFID (7343)
Fax: 847-925-1260

EUROPE

Wegalaan 57
2132 JD Hoofddorp
The Netherlands
Phone: +31-235681200
Fax: +31-235681222

CHINA

Rm. 302, AZIA Center,
1233 Lujiazui Ring Road
Pudong New Area, Shanghai
200120, PRC.
Phone: +86-21-5888-1666
Fax: +86-21-5888-7633/7933

www.omronrfid.com

For all areas across the world, email: info@omronrfid.com