

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[GT.50X86P2](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## GT.50X86P2



**Article Number:** 854-44366

**Grip Tie, 8.0"x.5", Polyamide; Polyethylene, Blue, 10/pkg**



Download spec sheet

### Base Data

**Local Order Number** GT.50X86P2

**Type** GT.50X8

**Color** Blue (BU)

**Features and Benefits**

- Features quick release for repetitive access to cable and wire.
- Can be opened and closed numerous times without failure.
- Adjustable so one size can accommodate multiple bundle sizes.

**Product Description** The Grip Tie is a low profile, one piece fastening device. Constructed of a hook and loop design, laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords.

**Short Description** Grip Tie, 8.0"x.5", Polyamide; Polyethylene, Blue, 10/pkg

### Product Dimensions

**Minimum Tensile Strength (Imperial)** 40.0 lbs

**Minimum Tensile Strength (Metric)** 177.93 N

**Length L (Imperial)** 8.0 "

**Length L (Metric)** 203.2 mm

**Length L2 (Imperial)** 1.5 "

**Length L2 (Metric)** 38.1 mm

**Width W (Imperial)** 0.5 "

**Width W (Metric)** 12.7 mm

**Width W2 (Imperial)** 1.0 "

**Width W2 (Metric)** 25.4 mm

**Bundle Diameter Max. (Imperial)** 1.75 "

**Bundle Diameter Max. (Metric)** 44.45 mm

### Logistics and Packaging

**Quantity Per** bag

**Package Quantity** 10

**Package Quantity (Metric)** 10

**Carton Quantity** 1000

### Material and Specifications

**Material** Polyethylene (PE)  
Polyamide (PA)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of GT.50X86P2 - GRIP TIE 8X.5" BLUE

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

PE

---