

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[151-00378](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

HellermannTyton

151-00378



Article Number: 151-00378

Automatic Harness Clip, Connectable, 1.1" Bundle Max, PA66HIRHS, Black, 500/pkg



Download drawing



Download spec sheet

Base Data

Local Order Number 151-00378

Type IAHC3AH

Color Black (BK)

- Features and Benefits**
- Clips can be connected to each other to create a chain of cable harnesses.
 - Secures firmly to surfaces to eliminate moisture and corrosion.
 - Quick and easy installation ideal for the production environment.

Product Description Automatic Harness Clips offer a simple and secure method of attaching cables to panels and other surfaces. When the cable is pushed inside, it automatically activates the locking features which causes it to close. These are also connectable which allows for multiple cables to be positioned next to each other. These come in various sizes to fit different bundle diameters.

Short Description Automatic Harness Clip, Connectable, 1.1" Bundle Max, PA66HIRHS, Black, 500/pkg

Product Dimensions

Length L (Imperial) 1.6 "

Length L (Metric) 40.0 mm

Length L2 (Imperial) 0.28 "

Length L2 (Metric) 7.5 mm

Width W (Imperial) 0.4 "

Width W (Metric) 13.5 mm

Height H (Imperial) 2.5 "

Height H (Metric) 64.5 mm

Bundle Diameter Min. (Imperial) 0.75 "

Bundle Diameter Min. (Metric) 19.0 mm

Bundle Diameter Max. (Imperial) 1.1 "

Bundle Diameter Max. (Metric) 28.0 mm

Disc Diameter (Imperial) 0.94 "

Disc Diameter (Metric) 24.0 mm

Panel Thickness Max. (Imperial) 0.03 "

Panel Thickness Max. (Metric) 2.7 mm

Panel Thickness Min. (Imperial) 0.04 "

Panel Thickness Min. (Metric) 0.7 mm

Mounting Hole Diameter D (Imperial) 0.24 - 0.26 "

Mounting Hole Diameter D (Metric) 6.2 - 6.7 mm

Mounting Hole Diameter D Max (Metric) 6.7 mm



(Metric)Mounting Hole Diameter D Min. (Metric)6.2 mm

Logistics and Packaging

Quantity Per	carton
Package Quantity (Metric)	500 Pieces
Carton Quantity	500 Pieces

Material and Specifications

Material Shortcut	PA66HIRHS
Flammability	UL94 HB
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
ROHS Compliant	Yes